




# STABILITETSUTREDNING, NERÄNGEN

Sektion: V23/820  
 Delområde: Nerängen  
 Analysmetod: Kombinerad analys  
 Skala: 1:2000 (A3)

Slip Surface Option: Grid and Radius  
 Method: Morgenstern-Price  
 PWP Conditions from: Spatial Function  
 Date: 2020-01-29  
 Created By: Isaksson Mikael  
 Last Edited By: Isaksson Mikael  
 Factor of Safety: 1,23



- Name: Lera Land (komb)  
 Model: Combined, S=f(datum)  
 Unit Weight: 17 kN/m<sup>3</sup>  
 Phi: 30 °  
 C-Datum: 2 kPa  
 C-Rate of Change: 0,15 (kN/m<sup>2</sup>)/m  
 Cu-Datum: 20 kPa  
 Cu-Rate of Change: 1,5 (kN/m<sup>2</sup>)/m  
 C/Cu Ratio: 0,1  
 Datum (Elevation): 15 m
- Name: Lera Älvnära (komb)  
 Model: Combined, S=f(datum)  
 Unit Weight: 17 kN/m<sup>3</sup>  
 Phi: 30 °  
 C-Datum: 2,2 kPa  
 C-Rate of Change: 0,123 (kN/m<sup>2</sup>)/m  
 Cu-Datum: 22 kPa  
 Cu-Rate of Change: 1,23 (kN/m<sup>2</sup>)/m  
 C/Cu Ratio: 0,1  
 Datum (Elevation): 15 m
- Name: Silt  
 Model: Mohr-Coulomb  
 Unit Weight: 17,5 kN/m<sup>3</sup>  
 Cohesion: 0 kPa  
 Phi: 30 °
- Name: Älvera 1 (komb)  
 Model: Combined, S=f(datum)  
 Unit Weight: 17 kN/m<sup>3</sup>  
 Phi: 30 °  
 C-Datum: 0,3 kPa  
 C-Rate of Change: 0,437 (kN/m<sup>2</sup>)/m  
 Cu-Datum: 3 kPa  
 Cu-Rate of Change: 4,37 (kN/m<sup>2</sup>)/m  
 C/Cu Ratio: 0,1  
 Datum (Elevation): -8,5 m
- Name: Älvera 2 (komb)  
 Model: Combined, S=f(depth)  
 Unit Weight: 17 kN/m<sup>3</sup>  
 Phi: 30 °  
 C-Top of Layer: 0,3 kPa  
 C-Rate of Change: 0,437 (kN/m<sup>2</sup>)/m  
 Cu-Top of Layer: 3 kPa  
 Cu-Rate of Change: 4,37 (kN/m<sup>2</sup>)/m  
 C/Cu Ratio: 0,1

Höjdsystem: RH 2000