

| Color | Name | Model | Unit Weight (kN/m ³) | C-Top of Layer (kPa) | C-Datum (kPa) | C-Rate of Change ((kN/m ²)/m) | C-Maximum (kPa) | Datum (Elevation) (m) | Anisotropic Strength Fn | Cohesion' (kPa) | Phi' (°) | Phi-B (°) | Constant Unit Wt. Above Water Table (kN/m ³) | Piezometric Line |
|--------------|---------------------|--------------|----------------------------------|----------------------|---------------|---|-----------------|-----------------------|-------------------------|-----------------|----------|-----------|--|------------------|
| Orange | Erosionsskydd | Mohr-Coulomb | 20 | | | | | | | 0 | 42 | 0 | 18 | 1 |
| Light Orange | Friktionsjord | Mohr-Coulomb | 20 | | | | | | | 0 | 38 | 0 | 18 | 1 |
| Yellow | Lera 1 S (od) | S=f(datum) | 15,7 | 20 | 1,2 | 0 | 6 | | K0=0,55 (Right to left) | | | | | 1 |
| Light Green | Lera 2 S (od) | S=f(datum) | 15,7 | 26 | 1,67 | 0 | 1 | | K0=0,55 (Right to left) | | | | | 1 |
| Dark Green | Lera 3 S (od) | S=f(datum) | 16,2 | 26 | 1,67 | 0 | 1 | | K0=0,55 (Right to left) | | | | | 1 |
| Light Yellow | siltig Lera S (od) | S=f(datum) | 16,3 | 20 | 0 | 0 | 15 | | K0=0,55 (Right to left) | | | | | 1 |
| Dark Yellow | Torrskorpelera (od) | S=f(datum) | 17 | 20 | 0 | 0 | 16 | | | | | | | 1 |
| Light Green | Älvlera 1 (od) | S=f(depth) | 15,2 | 2 | 7 | 16 | | | K0=0,55 (Right to left) | | | | | 1 |
| Light Green | Älvlera 2 (od) | S=f(depth) | 15,2 | 16 | 1,5 | 0 | | | K0=0,55 (Right to left) | | | | | 1 |

