



Göta älvtredningen 2009-2013  
 Delområde: 2  
 Sektion 19, KM V67/620  
 Analysmetod: Odränerad

Slip Surface Option: Entry and Exit  
 Method: Morgenstern-Price  
 PWP Conditions Source: Pressure Head Spatial Function  
 Date: 2011-09-23  
 Created By: Isaksson Mikael  
 Last Edited By: Isaksson Mikael  
 File Name: Sektion 19 Odränerad.gsz

Skala 1:500 (A3)

Name: Älvlera1  
 Model: S=f(depth)  
 Unit Weight: 15 kN/m<sup>3</sup>  
 C-Top of Layer: 7 kPa  
 C-Rate of Change: 2.76 kPa/m  
 Limiting C: 15 kPa

Name: Älvlera2  
 Model: S=f(depth)  
 Unit Weight: 16 kN/m<sup>3</sup>  
 C-Top of Layer: 15 kPa  
 C-Rate of Change: 1.43 kPa/m  
 Limiting C: 25 kPa

Name: Lera2 Lägre  
 Model: S=f(depth)  
 Unit Weight: 15 kN/m<sup>3</sup>  
 C-Top of Layer: 11.5 kPa  
 C-Rate of Change: 0.65 kPa/m  
 Limiting C: 0 kPa

Name: Lera3 Lägre  
 Model: S=f(datum)  
 Unit Weight: 16 kN/m<sup>3</sup>  
 C-Datum: 18 kPa  
 C-Rate of Change: 1.2 kPa/m  
 Limiting C: 0 kPa  
 Elevation: -15 m

Name: Let  
 Model: Combined, S=f(depth)  
 Unit Weight: 17 kN/m<sup>3</sup>  
 Phi: 30 °  
 C-Top of Layer: 2 kPa  
 C-Rate of Change: 0 kPa/m  
 Cu-Top of Layer: 20 kPa  
 Cu-Rate of Change: 0 kPa/m  
 C/Cu Ratio: 0.1

Name: Älvbotten  
 Model: S=f(depth)  
 Unit Weight: 14 kN/m<sup>3</sup>  
 C-Top of Layer: 0 kPa  
 C-Rate of Change: 14 kPa/m  
 Limiting C: 0 kPa

Name: Lera1  
 Model: S=f(depth)  
 Unit Weight: 15 kN/m<sup>3</sup>  
 C-Top of Layer: 11.5 kPa  
 C-Rate of Change: 0 kPa/m  
 Limiting C: 0 kPa

Name: Lera2  
 Model: S=f(depth)  
 Unit Weight: 15 kN/m<sup>3</sup>  
 C-Top of Layer: 11.5 kPa  
 C-Rate of Change: 1.05 kPa/m  
 Limiting C: 0 kPa

Name: Lera3  
 Model: S=f(datum)  
 Unit Weight: 16 kN/m<sup>3</sup>  
 C-Datum: 22 kPa  
 C-Rate of Change: 1.4 kPa/m  
 Limiting C: 0 kPa  
 Elevation: -15 m

Name: Erosionsskydd  
 Model: Mohr-Coulomb  
 Unit Weight: 18 kN/m<sup>3</sup>  
 Cohesion: 0 kPa  
 Phi: 35 °  
 Phi-B: 0 °

