




KLIMATANPASSNING OCH SKREDFÖRUTSÄTTNINGAR I GÖTA ÄLVDALLEN

Sektion: E19/470
 Delområde: Intagan - Lilla Edet
 Analysmetod: Kombinerad

Slip Surface Option: Entry and Exit
 Method: Morgenstern-Price
 PWP Conditions Source: Pressure Head Spatial Function
 Date: 2011-05-02
 Created By: David Schälin
 Last Edited By: David Schälin



Name: Cl 1
 Model: Combined, S=f(depth)
 Unit Weight: 17 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 22 kPa
 Cu-Rate of Change: 2.2 kPa/m
 C/Cu Ratio: 0.1

Name: Crust
 Model: Combined, S=f(depth)
 Unit Weight: 18 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 40 kPa
 Cu-Rate of Change: 0 kPa/m
 C/Cu Ratio: 0.1

Name: Sa
 Model: Mohr-Coulomb
 Unit Weight: 18 kN/m³
 Cohesion: 0 kPa
 Phi: 32 °

Name: Si
 Model: Mohr-Coulomb
 Unit Weight: 18 kN/m³
 Cohesion: 0 kPa
 Phi: 28 °


Name: Cl 2
 Model: Combined, S=f(depth)
 Unit Weight: 17 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 28 kPa
 Cu-Rate of Change: 0 kPa/m
 C/Cu Ratio: 0.1



KLIMATANPASSNING OCH SKREDFÖRUTSÄTTNINGAR I GÖTA ÄLVDALLEN

Sektion: E19/470
 Delområde: Intagan - Lilla Edet
 Analysmetod: Kombinerad

Slip Surface Option: Entry and Exit
 Method: Morgenstern-Price
 PWP Conditions Source: Pressure Head Spatial Function
 Date: 2011-05-02
 Created By: David Schälin
 Last Edited By: David Schälin



Name: CI 1
 Model: Combined, S=f(depth)
 Unit Weight: 17 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 22 kPa
 Cu-Rate of Change: 2.2 kPa/m
 C/Cu Ratio: 0.1



Name: Crust
 Model: Combined, S=f(depth)
 Unit Weight: 18 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 40 kPa
 Cu-Rate of Change: 0 kPa/m
 C/Cu Ratio: 0.1

Name: Sa
 Model: Mohr-Coulomb
 Unit Weight: 18 kN/m³
 Cohesion: 0 kPa
 Phi: 32 °

Name: Si
 Model: Mohr-Coulomb
 Unit Weight: 18 kN/m³
 Cohesion: 0 kPa
 Phi: 28 °

Name: CI 2
 Model: Combined, S=f(depth)
 Unit Weight: 17 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 28 kPa
 Cu-Rate of Change: 0 kPa/m
 C/Cu Ratio: 0.1

Kombinerad analys E19/470






KLIMATANPASSNING OCH SKREDFÖRUTSÄTTNINGAR I GÖTA ÄLVDALLEN

Sektion: E19/470
 Delområde: Intagan - Lilla Edet
 Analysmetod: Kombinerad

Slip Surface Option: Entry and Exit
 Method: Morgenstern-Price
 PWP Conditions Source: Pressure Head Spatial Function
 Date: 2011-05-02
 Created By: David Schälin
 Last Edited By: David Schälin



Name: Cl 1
 Model: Combined, S=f(depth)
 Unit Weight: 17 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 22 kPa
 Cu-Rate of Change: 2.2 kPa/m
 C/Cu Ratio: 0.1

Name: Crust
 Model: Combined, S=f(depth)
 Unit Weight: 18 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 40 kPa
 Cu-Rate of Change: 0 kPa/m
 C/Cu Ratio: 0.1

Name: Sa
 Model: Mohr-Coulomb
 Unit Weight: 18 kN/m³
 Cohesion: 0 kPa
 Phi: 32 °

Name: Si
 Model: Mohr-Coulomb
 Unit Weight: 18 kN/m³
 Cohesion: 0 kPa
 Phi: 28 °


Name: Cl 2
 Model: Combined, S=f(depth)
 Unit Weight: 17 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 28 kPa
 Cu-Rate of Change: 0 kPa/m
 C/Cu Ratio: 0.1



KLIMATANPASSNING OCH SKREDFÖRUTSÄTTNINGAR I GÖTA ÄLVDALLEN

Sektion: E19/470
 Delområde: Intagan - Lilla Edet
 Analysmetod: Kombinerad

Slip Surface Option: Entry and Exit
 Method: Morgenstern-Price
 PWP Conditions Source: Pressure Head Spatial Function
 Date: 2011-05-02
 Created By: David Schälin
 Last Edited By: David Schälin



Name: CI 1
 Model: Combined, S=f(depth)
 Unit Weight: 17 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 22 kPa
 Cu-Rate of Change: 2.2 kPa/m
 C/Cu Ratio: 0.1

Name: Crust
 Model: Combined, S=f(depth)
 Unit Weight: 18 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 40 kPa
 Cu-Rate of Change: 0 kPa/m
 C/Cu Ratio: 0.1

Name: Sa
 Model: Mohr-Coulomb
 Unit Weight: 18 kN/m³
 Cohesion: 0 kPa
 Phi: 32 °

Name: Si
 Model: Mohr-Coulomb
 Unit Weight: 18 kN/m³
 Cohesion: 0 kPa
 Phi: 28 °

Name: CI 2
 Model: Combined, S=f(depth)
 Unit Weight: 17 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 28 kPa
 Cu-Rate of Change: 0 kPa/m
 C/Cu Ratio: 0.1

Kombinerad analys E19/470

