



KLIMATANPASSNING SKREDFÖRUTSÄTTNINGAR I GÖTA ÄLVDALEN

Sektion: 59620E
Delområde: 09
Analysmetod: Odränerad

Slip Surface Option: Entry and Exit
Method: Morgenstern-Price
PWP Conditions Source: Piezometric Line
Date: 2011-06-22
Created By: Johan Bengtsson
Last Edited By: Bengtsson, Johan (WSP Civils, Göteborg)

Skala 1:1000 (A3)

Name: KC-Skivor
Model: Bilinear
Unit Weight: 15 kN/m³
Cohesion: 17.9 kPa
Phi 1: 13.7 °
Phi 2: 0.1 °
Bilinear Normal: 100 kPa

Name: KC-Singulära
Model: Bilinear
Unit Weight: 15 kN/m³
Cohesion: 13.8 kPa
Phi 1: 5 °
Phi 2: 0.1 °
Bilinear Normal: 100 kPa

Name: Lera land-1 (od)
Model: S=f(depth)
Unit Weight: 14.5 kN/m³
C-Top of Layer: 6 kPa
C-Rate of Change: 2 kPa/m

Name: Lera land-2 (od)
Model: Undrained (Phi=0)
Unit Weight: 15 kN/m³
Cohesion: 10 kPa

Name: Lera land-3 (od)
Model: S=f(depth)
Unit Weight: 15.5 kN/m³
C-Top of Layer: 10 kPa
C-Rate of Change: 1 kPa/m

Name: Lera land-4 (od)
Model: S=f(depth)
Unit Weight: 16 kN/m³
C-Rate of Change: 3 kPa/m

Name: gy Le (od)
Model: Undrained (Phi=0)
Unit Weight: 14 kN/m³
Cohesion: 5 kPa

Name: Lera land-2 (od)
Model: Undrained (Phi=0)
Unit Weight: 15 kN/m³
Cohesion: 10 kPa

Name: gy Le (od)
Model: Undrained (Phi=0)
Unit Weight: 14 kN/m³
Cohesion: 5 kPa

Name: gy Le (od)
Model: Undrained (Phi=0)
Unit Weight: 14 kN/m³
Cohesion: 5 kPa

