Kombinerad analys, befintliga förhållanden

File Information

Created By: Saad Jamil
Revision Number: 309
Last Edited By: Jamil, Saad
Date: 2010-12-07
Time: 18:10:54
File Name: 38500WKS.gsz
Directory: V:_UPPDRAG\224784\Teknik\Delområde 1-10\Delområde 4-14084\Geoteknik\Beräkningar\Sektion 12\
Last Solved Date: 2010-12-07
Last Solved Time: 18:12:34

Project Settings

Length(L) Units: meters
Time(t) Units: Seconds
Force(F) Units: kN
Pressure(p) Units: kPa
Strength Units: kPa
Unit Weight of Water: 9.807 kN/m³
View: 2D

Analysis Settings

Kombinerad analys, befintliga förhållanden, nulägesanalys

Description: V38/500 kombinerad analys
Kind: SLOPE/W
Method: Morgenstern-Price
Settings
- Side Function
  - Interslice force function option: Half-Sine
- PWP Conditions Source: Pressure Head Spatial Function
- Pressure Head Spatial Fn.: Nulägesanalys

Slip Surface
- Direction of movement: Right to Left
- Use Passive Mode: No
- Slip Surface Option: Entry and Exit
- Critical slip surfaces saved: 20
- Optimize Critical Slip Surface Location: Yes
- Tension Crack
  - Tension Crack Option: (none)

FOS Distribution
FOS Calculation Option: Constant
Advanced
Number of Slices: 30
Optimization Tolerance: 0.01
Minimum Slip Surface Depth: 0.5 m
Optimization Maximum Iterations: 2000
Optimization Convergence Tolerance: 1e-007
Starting Optimization Points: 8
Ending Optimization Points: 16
Complete Passes per Insertion: 1
Driving Side Maximum Convex Angle: 5 °
Resisting Side Maximum Convex Angle: 1 °

Materials

Crust co

Model: Combined, S=f(depth)
Unit Weight: 18 kN/m³
Phi: 30 °
C-Top of Layer: 0 kPa
C-Rate of Change: 0 kPa/m
Cu-Top of Layer: 30 kPa
Cu-Rate of Change: 0 kPa/m
C/Cu Ratio: 0.1

Clay 1 co

Model: Combined, S=f(datum)
Unit Weight: 15.2 kN/m³
Phi: 30 °
C-Datum: 0 kPa
C-Rate of Change: 0 kPa/m
Cu-Datum: 15 kPa
Cu-Rate of Change: 0 kPa/m
C/Cu Ratio: 0.1
Elevation: 5 m

Clay 2 co

Model: Combined, S=f(datum)
Unit Weight: 15.2 kN/m³
Phi: 30 °
C-Datum: 0 kPa
C-Rate of Change: 0 kPa/m
Cu-Datum: 15 kPa
Cu-Rate of Change: 1.8 kPa/m
C/Cu Ratio: 0.1
Elevation: 0 m

Clay 3 co

Model: Combined, S=f(depth)

Unit Weight: 16 kN/m³
Phi: 30 °
C-Top of Layer: 0 kPa
C-Rate of Change: 0 kPa/m
Cu-Top of Layer: 30 kPa
Cu-Rate of Change: 0 kPa/m
C/Cu Ratio: 0.1

Friction

Model: Mohr-Coulomb
Unit Weight: 22 kN/m³
Unit Wt. Above Water Table: 20 kN/m³
Cohesion: 0 kPa
Phi: 38 °
Phi-B: 0 °

Bedrock

Model: Bedrock (Impenetrable)

Sand

Model: Mohr-Coulomb
Unit Weight: 20 kN/m³
Unit Wt. Above Water Table: 18 kN/m³
Cohesion: 0 kPa
Phi: 33 °
Phi-B: 0 °

Strandskoning

Model: Mohr-Coulomb
Unit Weight: 21 kN/m³
Unit Wt. Above Water Table: 18 kN/m³
Cohesion: 0 kPa
Phi: 40 °
Phi-B: 0 °


14
12
10
8
6
4
2
0
kPa
0
10
20
30
40
Distance (m)
Kohesion : Cohesive
Friktion : Frictional


80
70
60
50
40
30
20
10
0
kPa
0
10
20
30
40
Distance (m)
Totalspänning : Normal Stress
Effektivspänning : Effective Normal Stress
Portryck : Pore-Water Pressure

Skala 1:800 (A3)
Leveransdatum 2011-03-31

Göta älv utredningen 2009-2012
SEKTION: V38/500 kombinerad analys
Beräkningsmodell: Morgenstern-Price
Metod: Entry and Exit
Portrycksmodell: Pressure Head Spatial Function
Datum: 2010-12-07



Beräkning utförd av:
Saad Jamil

Granskad av:
Mats Ekenberg

Directory: V:_UPPDRAG\224784\Teknik\Delområde 1-10\Delområde 4-14084\Geoteknik\Beräkningar\Sektion 12 V38_500\38500WKS.gsz

Skala 1:800 (A3)
Leveransdatum 2011-03-31

Göta älv utredningen 2009-2012
SEKTION: V38/500 kombinerad analys
Beräkningsmodell: Morgenstern-Price
Metod: Entry and Exit
Portrycksmodell: Pressure Head Spatial Function
Datum: 2010-12-08



Beräkning utförd av:
Saad Jamil

Granskad av:
Mats Ekenberg

Directory: V:_UPPDRAG\224784\Teknik\Delområde 1-10\Delområde 4-14084\Geoteknik\Beräkningar\Sektion 12 V38_500\38500WKS.gsz