Odränerad analys, nulägesanalys

File Information

Created By: Josefin Moberg
Revision Number: 367
Last Edited By: Moberg, Josefin
Date: 2010-12-05
Time: 10:14:02
File Name: 41900WUS.gsz
Directory: V:_UPPDRAG\224784\Teknik\Delområde 1-10\Delområde 4-14084\Geoteknik\Beräkningar\Sektion 6\

Project Settings

Length(L) Units: meters
Time(t) Units: Seconds
Force(F) Units: kN
Pressure(p) Units: kPa
Strength Units: kPa
Unit Weight of Water: 9.807 kN/m³
View: 2D

Analysis Settings

Odränerad analys, nulägesanalys

Description: V41/900 odränerad analys, nulägesanalys
Kind: SLOPE/W
Method: Morgenstern-Price
Settings
- Side Function
  - Interslice force function option: Half-Sine
- PWP Conditions Source: Pressure Head Spatial Function
- Pressure Head Spatial Fn.: Portrycksprofil

Slip Surface
- Direction of movement: Right to Left
- Use Passive Mode: No
- Slip Surface Option: Entry and Exit
- Critical slip surfaces saved: 10
- Optimize Critical Slip Surface Location: Yes
- Tension Crack
  - Tension Crack Option: Tension Crack Line
  - Percentage Wet: 0.5

Tension Crack Fluid Unit Weight: 9.807 kN/m³
FOS Distribution
FOS Calculation Option: Constant
Advanced
Number of Slices: 30
Optimization Tolerance: 0.01
Minimum Slip Surface Depth: 0.1 m
Optimization Maximum Iterations: 2000
Optimization Convergence Tolerance: 1e-007
Starting Optimization Points: 8
Ending Optimization Points: 16
Complete Passes per Insertion: 1
Driving Side Maximum Convex Angle: 5 °
Resisting Side Maximum Convex Angle: 1 °

Materials

Crust ud

Model: S=f(depth)
Unit Weight: 18 kN/m³
C-Top of Layer: 30 kPa
C-Rate of Change: 0 kPa/m
Limiting C: 0 kPa

Clay älv_1 ud

Model: S=f(depth)
Unit Weight: 16.5 kN/m³
C-Top of Layer: 3 kPa
C-Rate of Change: 10 kPa/m
Limiting C: 0 kPa

Clay älv_2 ud

Model: S=f(datum)
Unit Weight: 16.5 kN/m³
C-Datum: 3 kPa
C-Rate of Change: 4.4 kPa/m
Limiting C: 0 kPa
Elevation: -7.2 m

Friction

Model: Mohr-Coulomb
Unit Weight: 20 kN/m³
Cohesion: 0 kPa
Phi: 38 °
Phi-B: 0 °

Clay 1_1 ud

Model: S=f(datum)
Unit Weight: 18 kN/m³
C-Datum: 21 kPa
C-Rate of Change: 0 kPa/m
Limiting C: 18 kPa
Elevation: 3 m

Clay 1_2 ud

Model: S=f(datum)
Unit Weight: 16.5 kN/m³
C-Datum: 21 kPa
C-Rate of Change: 1.143 kPa/m
Limiting C: 37 kPa
Elevation: -3 m

Clay 1_3 ud

Model: S=f(datum)
Unit Weight: 16.2 kN/m³
C-Datum: 37 kPa
C-Rate of Change: 0.722 kPa/m
Limiting C: 65 kPa
Elevation: -17 m

Clay 2_1 ud

Model: S=f(datum)
Unit Weight: 16.8 kN/m³
C-Datum: 15 kPa
C-Rate of Change: 0 kPa/m
Limiting C: 0 kPa
Elevation: 4 m

Clay 2_2 ud

Model: S=f(datum)
Unit Weight: 16.3 kN/m³
C-Datum: 15 kPa
C-Rate of Change: 0.714 kPa/m
Limiting C: 20 kPa
Elevation: 0 m

Clay 2_3 ud

Model: S=f(datum)
Unit Weight: 15.8 kN/m³
C-Datum: 20 kPa
C-Rate of Change: 0.555 kPa/m
Limiting C: 50 kPa
Elevation: -7 m

Strandskoning

Model: Mohr-Coulomb
Unit Weight: 18 kN/m³
Unit Wt. Above Water Table: 21 kN/m³
Cohesion: 0 kPa
Phi: 45 °
Phi-B: 0 °



Figur 1. Kohesion och friktion



Figur 2. Totalspänning, effektivspänning och portryck

Skala 1:4000 (A3)
Leveransdatum 2011-03-31

Göta älv utredningen 2009-2012
SEKTION: V41/900 odränerad analys,
nulägesanalys
Beräkningsmodell: Morgenstern-Price
Metod: Entry and Exit
Portrycksmodell: Pressure Head Spatial Function
Datum: 2010-12-05



Directory: V:_UPPDRAG\224784\Teknik\Delområde 1-10\Delområde 4-14084\Geoteknik\Beräkningar\Sektion 6\41900WUS.gsz

Beräkning utförd av:
Josefin Moberg

Granskad av:
Mats Ekenberg