

Odränerad analys, befintliga förhållanden, Nulägesanalys (ent+exit)

Report generated using GeoStudio 2007, version 7.16. Copyright © 1991-2010 GEO-SLOPE International Ltd.

File Information

Created By: [Birgitta Kärrlind](#)
Revision Number: [225](#)
Last Edited By: [Kärrlind, Birgitta](#)
Date: [2011-01-18](#)
Time: [12:48:43](#)
File Name: [33350WUS.gsz](#)
Directory: [V:_UPPDRAG\224784\Teknik\Delområde 1-10\Delområde 4-14084\Geoteknik\Beräkningar\Sektion 21\](#)

Project Settings

Length(L) Units: [meters](#)
Time(t) Units: [Seconds](#)
Force(F) Units: [kN](#)
Pressure(p) Units: [kPa](#)
Strength Units: [kPa](#)
Unit Weight of Water: [9.807 kN/m³](#)
View: [2D](#)

Analysis Settings

Odränerad analys, befintliga förhållanden, Nulägesanalys (ent+exit)

Description: [V33/350 odränerad analys](#)
Kind: [SLOPE/W](#)
Method: [Morgenstern-Price](#)
Settings
 Side Function
 Interslice force function option: [Half-Sine](#)
 PWP Conditions Source: [Pressure Head Spatial Function](#)
 Pressure Head Spatial Fn.: [Nulägesanalys](#)
Slip Surface
 Direction of movement: [Right to Left](#)
 Use Passive Mode: [No](#)
 Slip Surface Option: [Entry and Exit](#)
 Critical slip surfaces saved: [20](#)
 Optimize Critical Slip Surface Location: [Yes](#)
 Tension Crack
 Tension Crack Option: [\(none\)](#)
FOS Distribution
 FOS Calculation Option: [Constant](#)

Advanced

Number of Slices: 30
Optimization Tolerance: 0.01
Minimum Slip Surface Depth: 1 m
Optimization Maximum Iterations: 2000
Optimization Convergence Tolerance: 1e-007
Starting Optimization Points: 8
Ending Optimization Points: 16
Complete Passes per Insertion: 1
Driving Side Maximum Convex Angle: 5 °
Resisting Side Maximum Convex Angle: 1 °

Materials

Crust ud

Model: $S=f(\text{depth})$
Unit Weight: 18 kN/m³
C-Top of Layer: 30 kPa
C-Rate of Change: 0 kPa/m
Limiting C: 0 kPa

Clay 1 ud

Model: $S=f(\text{datum})$
Unit Weight: 16.5 kN/m³
C-Datum: 15 kPa
C-Rate of Change: 0 kPa/m
Limiting C: 0 kPa
Elevation: 3 m

Clay 2 ud

Model: $S=f(\text{datum})$
Unit Weight: 18.4 kN/m³
C-Datum: 15 kPa
C-Rate of Change: 1 kPa/m
Limiting C: 0 kPa
Elevation: -1 m

Clay 3 ud

Model: $S=f(\text{datum})$
Unit Weight: 15.8 kN/m³
C-Datum: 18 kPa
C-Rate of Change: 0.91 kPa/m
Limiting C: 0 kPa
Elevation: -4 m

Clay 4 ud

Model: $S=f(\text{datum})$
Unit Weight: 15.8 kN/m³
C-Datum: 28 kPa
C-Rate of Change: 1.5 kPa/m

Limiting C: 0 kPa
Elevation: -15 m

Clay 5 ud

Model: $S=f(\text{depth})$
Unit Weight: 15.8 kN/m³
C-Top of Layer: 12 kPa
C-Rate of Change: 3.6 kPa/m
Limiting C: 0 kPa

Clay 6 ud

Model: $S=f(\text{datum})$
Unit Weight: 18 kN/m³
C-Datum: 18 kPa
C-Rate of Change: 0 kPa/m
Limiting C: 0 kPa
Elevation: 5 m

Clay 7 ud

Model: $S=f(\text{datum})$
Unit Weight: 15.8 kN/m³
C-Datum: 16.5 kPa
C-Rate of Change: 0 kPa/m
Limiting C: 0 kPa
Elevation: 1.5 m

Clay 8 ud

Model: $S=f(\text{datum})$
Unit Weight: 18 kN/m³
C-Datum: 16.5 kPa
C-Rate of Change: 2.2 kPa/m
Limiting C: 0 kPa
Elevation: -1 m

Friction

Model: Mohr-Coulomb
Unit Weight: 22 kN/m³
Unit Wt. Above Water Table: 20 kN/m³
Cohesion: 0 kPa
Phi: 40 °
Phi-B: 0 °

Sand

Model: Mohr-Coulomb
Unit Weight: 19.5 kN/m³
Cohesion: 0 kPa
Phi: 34 °
Phi-B: 0 °

Vägbank

Model: Mohr-Coulomb
Unit Weight: 21 kN/m³

Unit Wt. Above Water Table: 18 kN/m³

Cohesion: 0 kPa

Phi: 40 °

Phi-B: 0 °

Strandskoning

Model: Mohr-Coulomb

Unit Weight: 21 kN/m³

Unit Wt. Above Water Table: 18 kN/m³

Cohesion: 0 kPa

Phi: 40 °

Phi-B: 0 °

Clay 9 ud

Model: $S=f(\text{depth})$

Unit Weight: 18 kN/m³

C-Top of Layer: 18 kPa

C-Rate of Change: 0 kPa/m

Limiting C: 0 kPa



Skala 1:1000 (A3)
Leveransdatum 2011-03-31

Göta älv utredningen 2009-2012
SEKTION: V33/350 odränerad analys
Beräkningsmodell: Morgenstern-Price
Metod: Entry and Exit
Portrycksmodell: Pressure Head Spatial Function
Datum: 2011-01-17

