

SLOPE/W Analysis

Report generated using GeoStudio 2007, version 7.17. Copyright © 1991-2010 GEO-SLOPE International Ltd.

File Information

Created By: [Rebecca Bertilsson](#)
Revision Number: [64](#)
Last Edited By: [Rebecca Bertilsson](#)
Date: [2011-05-30](#)
Time: [15:12:41](#)
File Name: [V15020_odränerad print.gsz](#)
Directory: [P:\!Göta älv utredningen 2009-2012\Delområde 1-10\Delområde 5-14085\Geoteknik\Text\Interngranskning\V15020\110831\](#)
Last Solved Date: [2011-05-30](#)
Last Solved Time: [15:13:42](#)

Project Settings

Length(L) Units: [meters](#)
Time(t) Units: [Seconds](#)
Force(F) Units: [kN](#)
Pressure(p) Units: [kPa](#)
Strength Units: [kPa](#)
Unit Weight of Water: [9.807 kN/m³](#)
View: [2D](#)

Analysis Settings

SLOPE/W Analysis

Kind: [SLOPE/W](#)
Method: [Morgenstern-Price](#)
Settings
 Apply Phreatic Correction: [No](#)
 Side Function
 Interslice force function option: [Half-Sine](#)
 PWP Conditions Source: [Piezometric Line](#)
 Use Staged Rapid Drawdown: [No](#)
Slip Surface
 Direction of movement: [Right to Left](#)
 Use Passive Mode: [No](#)
 Slip Surface Option: [Entry and Exit](#)
 Critical slip surfaces saved: [5](#)
 Optimize Critical Slip Surface Location: [Yes](#)
 Tension Crack

Tension Crack Option: Tension Crack Line

Percentage Wet: 0.5

Tension Crack Fluid Unit Weight: 9.807 kN/m³

FOS Distribution

FOS Calculation Option: Constant

Advanced

Number of Slices: 30

Optimization Tolerance: 0.01

Minimum Slip Surface Depth: 0.1 m

Optimization Maximum Iterations: 2000

Optimization Convergence Tolerance: 1e-007

Starting Optimization Points: 8

Ending Optimization Points: 16

Complete Passes per Insertion: 1

Driving Side Maximum Convex Angle: 5 °

Resisting Side Maximum Convex Angle: 1 °

Materials

CI 1

Model: $S=f(\text{datum})$

Unit Weight: 17 kN/m³

C-Datum: 28 kPa

C-Rate of Change: 0 kPa/m

Limiting C: 0 kPa

Elevation: 0 m

Pore Water Pressure

Piezometric Line: 1

Crust

Model: Mohr-Coulomb

Unit Weight: 18 kN/m³

Cohesion: 30 kPa

Phi: 0 °

Phi-B: 0 °

Pore Water Pressure

Piezometric Line: 1

CI 2

Model: $S=f(\text{datum})$

Unit Weight: 17 kN/m³

C-Datum: 28 kPa

C-Rate of Change: 1.81 kPa/m

Limiting C: 0 kPa

Elevation: 15 m

Pore Water Pressure

Piezometric Line: 1

CI 3

Model: $S=f(\text{datum})$

Unit Weight: 17 kN/m^3

C-Datum: 28 kPa

C-Rate of Change: 2.1 kPa/m

Limiting C: 0 kPa

Elevation: 5 m

Pore Water Pressure

Piezometric Line: 1

CI 4

Model: $S=f(\text{depth})$

Unit Weight: 17 kN/m^3

C-Top of Layer: 0 kPa

C-Rate of Change: 25 kPa/m

Limiting C: 0 kPa

Pore Water Pressure

Piezometric Line: 1

CI 5

Model: $S=f(\text{depth})$

Unit Weight: 17 kN/m^3

C-Top of Layer: 25 kPa

C-Rate of Change: 2.37 kPa/m

Limiting C: 0 kPa

Pore Water Pressure

Piezometric Line: 1

Fill

Model: Mohr-Coulomb

Unit Weight: 18 kN/m^3


Cohesion: 0 kPa

Phi: 38°


Phi-B: 0°

Pore Water Pressure

Piezometric Line: 1



Figur 1. Kohesion och friktion.



Figur 2. Totalspänning, effektivspänning och portryck.



KLIMATANPASSNING SKREDFÖRUTSÄTTNINGAR I GÖTA ÄLVDALLEN

Sektion: V15020
Delområde: Intagan Ström
Analysmetod: Odränerad analys

Slip Surface Option: Entry and Exit
Method: Morgenstern-Price
PWP Conditions Source: Piezometric Line
Date: 2011-05-30
Created By: Rebecca Bertilsson
Last Edited By: Rebecca Bertilsson

Name: CI 1
Model: S=f(datum)
Unit Weight: 17 kN/m³
C-Rate of Change: 0 kPa/m
Elevation: 0 m

Name: Crust
Model: Mohr-Coulomb
Unit Weight: 18 kN/m³
Cohesion: 30 kPa
Phi: 0 °


Name: CI 2
Model: S=f(datum)
Unit Weight: 17 kN/m³
C-Rate of Change: 1.81 kPa/m
Elevation: 15 m

Name: CI 3
Model: S=f(datum)
Unit Weight: 17 kN/m³
C-Rate of Change: 2.1 kPa/m
Elevation: 5 m

Name: CI 4
Model: S=f(depth)
Unit Weight: 17 kN/m³
C-Top of Layer: 0 kPa
C-Rate of Change: 25 kPa/m

Name: CI 5
Model: S=f(depth)
Unit Weight: 17 kN/m³
C-Top of Layer: 25 kPa
C-Rate of Change: 2.37 kPa/m

Name: Fyll
Model: Mohr-Coulomb
Unit Weight: 18 kN/m³
Cohesion: 0 kPa
Phi: 38 °



SLOPE/W Analysis

Report generated using GeoStudio 2007, version 7.17. Copyright © 1991-2010 GEO-SLOPE International Ltd.

File Information

Created By: [Rebecca Bertilsson](#)

Revision Number: [93](#)

Last Edited By: [Kine Meijer](#)

Date: [2011-08-31](#)

Time: [02:45:58](#)

File Name: [V15020_kombinerad print.gsz](#)

Directory: [P:\!Göta älv utredningen 2009-2012\Delområde 1-10\Delområde 5-14085\Geoteknik\Text\Interngranskning\V15020\110831\](#)

Project Settings

Length(L) Units: [meters](#)

Time(t) Units: [Seconds](#)

Force(F) Units: [kN](#)

Pressure(p) Units: [kPa](#)

Strength Units: [kPa](#)

Unit Weight of Water: [9.807 kN/m³](#)

View: [2D](#)

Analysis Settings

SLOPE/W Analysis

Kind: [SLOPE/W](#)

Method: [Morgenstern-Price](#)

Settings

Side Function

Interslice force function option: [Half-Sine](#)

PWP Conditions Source: [Pressure Head Spatial Function](#)

Pressure Head Spatial Fn.: [Uppmätta värden \(enl thomas\)](#)

Slip Surface

Direction of movement: [Right to Left](#)

Use Passive Mode: [No](#)

Slip Surface Option: [Entry and Exit](#)

Critical slip surfaces saved: [5](#)

Optimize Critical Slip Surface Location: [Yes](#)

Tension Crack

Tension Crack Option: [Tension Crack Line](#)

Percentage Wet: [0.5](#)

Tension Crack Fluid Unit Weight: [9.807 kN/m³](#)

FOS Distribution

FOS Calculation Option: **Constant**

Advanced

Number of Slices: **30**

Optimization Tolerance: **0.01**

Minimum Slip Surface Depth: **0.1 m**

Optimization Maximum Iterations: **2000**

Optimization Convergence Tolerance: **1e-007**

Starting Optimization Points: **8**

Ending Optimization Points: **16**

Complete Passes per Insertion: **1**

Driving Side Maximum Convex Angle: **5 °**

Resisting Side Maximum Convex Angle: **1 °**

Materials

CI 1

Model: **Combined, S=f(datum)**

Unit Weight: **17 kN/m³**

Phi: **30 °**

C-Datum: **0 kPa**

C-Rate of Change: **0 kPa/m**

Cu-Datum: **28 kPa**

Cu-Rate of Change: **0 kPa/m**

C/Cu Ratio: **0.1**

Elevation: **0 m**

Crust

Model: **Combined, S=f(depth)**

Unit Weight: **18 kN/m³**

Phi: **30 °**

C-Top of Layer: **0 kPa**

C-Rate of Change: **0 kPa/m**

Cu-Top of Layer: **30 kPa**

Cu-Rate of Change: **0 kPa/m**

C/Cu Ratio: **0.1**

CI 2

Model: **Combined, S=f(datum)**

Unit Weight: **17 kN/m³**

Phi: **30 °**

C-Datum: **0 kPa**

C-Rate of Change: **0 kPa/m**

Cu-Datum: **28 kPa**

Cu-Rate of Change: **1.81 kPa/m**

C/Cu Ratio: **0.1**

Elevation: 15 m

CI 3

Model: Combined, $S=f(\text{datum})$

Unit Weight: 17 kN/m³

Phi: 30 °

C-Datum: 0 kPa

C-Rate of Change: 0 kPa/m

Cu-Datum: 28 kPa

Cu-Rate of Change: 2.1 kPa/m

C/Cu Ratio: 0.1

Elevation: 5 m

CI 4

Model: Combined, $S=f(\text{depth})$

Unit Weight: 17 kN/m³

Phi: 30 °

C-Top of Layer: 0 kPa

C-Rate of Change: 0 kPa/m

Cu-Top of Layer: 0 kPa

Cu-Rate of Change: 25 kPa/m

C/Cu Ratio: 0.1

CI 5

Model: Combined, $S=f(\text{depth})$

Unit Weight: 17 kN/m³

Phi: 30 °

C-Top of Layer: 0 kPa

C-Rate of Change: 0 kPa/m

Cu-Top of Layer: 25 kPa

Cu-Rate of Change: 2.37 kPa/m

C/Cu Ratio: 0.1

Fill


Model: Mohr-Coulomb

Unit Weight: 18 kN/m³


Cohesion: 0 kPa

Phi: 38 °

Phi-B: 0 °



Figur 1. Kohesion och friktion.




Figur 2. Totalspänning, effektivspänning och portryck.



KLIMATANPASSNING SKREDFÖRUTSÄTTNINGAR I GÖTA ÄLVDALLEN

Sektion: V15020
Delområde: Intagan Ström
Analysmetod: Kombinerad analys

Slip Surface Option: Entry and Exit
Method: Morgenstern-Price
PWP Conditions Source: Pressure Head Spatial Function
Date: 2011-04-26
Created By: Rebecca Bertilsson
Last Edited By: Rebecca Bertilsson



Name: Cl 1
 Model: Combined, $S=f(\text{datum})$
 Unit Weight: 17 kN/m³
 Phi: 30 °
 C-Rate of Change: 0 kPa/m
 Cu-Datum: 28 kPa
 Cu-Rate of Change: 0 kPa/m
 C/Cu Ratio: 0.1
 Elevation: 0 m

Name: Crust
 Model: Combined, $S=f(\text{depth})$
 Unit Weight: 18 kN/m³
 Phi: 30 °
 C-Top of Layer: 0 kPa
 C-Rate of Change: 0 kPa/m
 Cu-Top of Layer: 30 kPa
 Cu-Rate of Change: 0 kPa/m
 C/Cu Ratio: 0.1

Name: Cl 2
 Model: Combined, $S=f(\text{datum})$
 Unit Weight: 17 kN/m³
 Phi: 30 °
 C-Rate of Change: 0 kPa/m
 Cu-Datum: 28 kPa
 Cu-Rate of Change: 1.81 kPa/m
 C/Cu Ratio: 0.1
 Elevation: 15 m

Name: Cl 3
 Model: Combined, $S=f(\text{datum})$
 Unit Weight: 17 kN/m³
 Phi: 30 °
 C-Rate of Change: 0 kPa/m
 Cu-Datum: 28 kPa
 Cu-Rate of Change: 2.1 kPa/m
 C/Cu Ratio: 0.1
 Elevation: 5 m

Name: Cl 4
 Model: Combined, $S=f(\text{depth})$
 Unit Weight: 17 kN/m³
 Phi: 30 °
 C-Top of Layer: 0 kPa
 C-Rate of Change: 0 kPa/m
 Cu-Top of Layer: 0 kPa
 Cu-Rate of Change: 25 kPa/m
 C/Cu Ratio: 0.1

Name: Cl 5
 Model: Combined, $S=f(\text{depth})$
 Unit Weight: 17 kN/m³
 Phi: 30 °
 C-Top of Layer: 0 kPa
 C-Rate of Change: 0 kPa/m
 Cu-Top of Layer: 25 kPa
 Cu-Rate of Change: 2.37 kPa/m
 C/Cu Ratio: 0.1


Name: Fill
 Model: Mohr-Coulomb
 Unit Weight: 18 kN/m³
 Cohesion: 0 kPa
 Phi: 38 °



KLIMATANPASSNING SKREDFÖRUTSÄTTNINGAR I GÖTA ÄLVDALEN

Sektion: V15020
Delområde: Intagan Ström
Analysmetod: Kombinerad analys

Slip Surface Option: Entry and Exit
Method: Morgenstern-Price
PWP Conditions Source: Pressure Head Spatial Function
Date: 2011-08-31
Created By: Rebecca Bertilsson
Last Edited By: Kine Meijer



Name: Crust
 Model: Combined, S=f(depth)
 Unit Weight: 18 kN/m³
 Phi: 30 °
 C-Top of Layer: 0 kPa
 C-Rate of Change: 0 kPa/m
 Cu-Top of Layer: 30 kPa
 Cu-Rate of Change: 0 kPa/m
 C/Cu Ratio: 0.1

Name: Cl 2
 Model: Combined, S=f(datum)
 Unit Weight: 17 kN/m³
 Phi: 30 °
 C-Rate of Change: 0 kPa/m
 Cu-Datum: 28 kPa
 Cu-Rate of Change: 1.81 kPa/m
 C/Cu Ratio: 0.1
 Elevation: 15 m

Name: Cl 3
 Model: Combined, S=f(datum)
 Unit Weight: 17 kN/m³
 Phi: 30 °
 C-Rate of Change: 0 kPa/m
 Cu-Datum: 28 kPa
 Cu-Rate of Change: 2.1 kPa/m
 C/Cu Ratio: 0.1
 Elevation: 5 m

Name: Cl 4
 Model: Combined, S=f(depth)
 Unit Weight: 17 kN/m³
 Phi: 30 °
 C-Top of Layer: 0 kPa
 C-Rate of Change: 0 kPa/m
 Cu-Top of Layer: 0 kPa
 Cu-Rate of Change: 25 kPa/m
 C/Cu Ratio: 0.1

Name: Cl 5
 Model: Combined, S=f(depth)
 Unit Weight: 17 kN/m³
 Phi: 30 °
 C-Top of Layer: 0 kPa
 C-Rate of Change: 0 kPa/m
 Cu-Top of Layer: 25 kPa
 Cu-Rate of Change: 2.37 kPa/m
 C/Cu Ratio: 0.1

Name: Fill
 Model: Mohr-Coulomb
 Unit Weight: 18 kN/m³
 Cohesion: 0 kPa
 Phi: 38 °