

# SLOPE/W Analysis

Report generated using GeoStudio 2007, version 7.16. Copyright © 1991-2010 GEO-SLOPE International Ltd.

## File Information

Created By: [Rebecca Bertilsson](#)  
Revision Number: [67](#)  
Last Edited By: [Kine Meijer](#)  
Date: [2011-09-01](#)  
Time: [09:41:29](#)  
File Name: [V15170\\_odrainerad print.gsz](#)  
Directory: [P:\!Göta älv utredningen 2009-2012\Delområde 1-10\Delområde 5-14085\Geoteknik\Text\Interngranskning\V15170\110830\](#)  
Last Solved Date: [2011-09-01](#)  
Last Solved Time: [09:42:54](#)

## Project Settings

Length(L) Units: [meters](#)  
Time(t) Units: [Seconds](#)  
Force(F) Units: [kN](#)  
Pressure(p) Units: [kPa](#)  
Strength Units: [kPa](#)  
Unit Weight of Water: [9.807 kN/m<sup>3</sup>](#)  
View: [2D](#)

## Analysis Settings

### SLOPE/W Analysis

Kind: [SLOPE/W](#)  
Method: [Morgenstern-Price](#)  
Settings  
Apply Phreatic Correction: [No](#)  
Side Function  
Interslice force function option: [Half-Sine](#)  
PWP Conditions Source: [Piezometric Line](#)  
Use Staged Rapid Drawdown: [No](#)  
Slip Surface  
Direction of movement: [Right to Left](#)  
Use Passive Mode: [No](#)  
Slip Surface Option: [Entry and Exit](#)  
Critical slip surfaces saved: [5](#)  
Optimize Critical Slip Surface Location: [Yes](#)  
Tension Crack  
Tension Crack Option: [Tension Crack Line](#)  
Percentage Wet: [0.5](#)  
Tension Crack Fluid Unit Weight: [9.807 kN/m<sup>3</sup>](#)  
FOS Distribution

FOS Calculation Option: **Constant**

#### Advanced

Number of Slices: **30**

Optimization Tolerance: **0.01**

Minimum Slip Surface Depth: **0.1 m**

Optimization Maximum Iterations: **2000**

Optimization Convergence Tolerance: **1e-007**

Starting Optimization Points: **8**

Ending Optimization Points: **16**

Complete Passes per Insertion: **1**

Driving Side Maximum Convex Angle: **5 °**

Resisting Side Maximum Convex Angle: **1 °**

## Materials

### CI 1

Model: **S=f(datum)**

Unit Weight: **17 kN/m<sup>3</sup>**

C-Datum: **28 kPa**

C-Rate of Change: **0 kPa/m**

Limiting C: **0 kPa**

Elevation: **0 m**

Pore Water Pressure

Piezometric Line: **1**

### Crust

Model: **Mohr-Coulomb**

Unit Weight: **18 kN/m<sup>3</sup>**

Cohesion: **30 kPa**

Phi: **0 °**

Phi-B: **0 °**

Pore Water Pressure

Piezometric Line: **1**

### CI 2

Model: **S=f(datum)**

Unit Weight: **17 kN/m<sup>3</sup>**

C-Datum: **28 kPa**

C-Rate of Change: **1.81 kPa/m**

Limiting C: **0 kPa**

Elevation: **15 m**

Pore Water Pressure

Piezometric Line: **1**

### CI 3

Model: **S=f(datum)**

Unit Weight: **17 kN/m<sup>3</sup>**

C-Datum: **28 kPa**

C-Rate of Change: **2.1 kPa/m**

Limiting C: **0 kPa**

Elevation: 5 m

Pore Water Pressure

Piezometric Line: 1

#### CI 4

Model:  $S=f(\text{depth})$

Unit Weight: 17 kN/m<sup>3</sup>

C-Top of Layer: 0 kPa

C-Rate of Change: 25 kPa/m

Limiting C: 0 kPa

Pore Water Pressure

Piezometric Line: 1

#### CI 5

Model:  $S=f(\text{depth})$

Unit Weight: 17 kN/m<sup>3</sup>


C-Top of Layer: 25 kPa

C-Rate of Change: 2.37 kPa/m


Limiting C: 0 kPa

Pore Water Pressure

Piezometric Line: 1



Figur 1. Kohesion och friktion.



Figur 2. Totalspänning, effektivspänning och portryck.



# KLIMATANPASSNING SKREDFÖRUTSÄTTNINGAR I GÖTA ÄLVDALLEN

Sektion: V15170  
Delområde: Intagan Ström  
Analysmetod: Odränerad analys

Slip Surface Option: Entry and Exit  
Method: Morgenstern-Price  
PWP Conditions Source: Piezometric Line  
Date: 2011-09-01  
Created By: Rebecca Bertilsson  
Last Edited By: Kine Meijer

Name: CI 1  
Model: S=f(datum)  
Unit Weight: 17 kN/m<sup>3</sup>  
C-Rate of Change: 0 kPa/m  
Elevation: 0 m


Name: Crust  
Model: Mohr-Coulomb  
Unit Weight: 18 kN/m<sup>3</sup>  
Cohesion: 30 kPa  
Phi: 0 °

Name: CI 2  
Model: S=f(datum)  
Unit Weight: 17 kN/m<sup>3</sup>  
C-Rate of Change: 1.81 kPa/m  
Elevation: 15 m

Name: CI 3  
Model: S=f(datum)  
Unit Weight: 17 kN/m<sup>3</sup>  
C-Rate of Change: 2.1 kPa/m  
Elevation: 5 m

Name: CI 4  
Model: S=f(depth)  
Unit Weight: 17 kN/m<sup>3</sup>  
C-Top of Layer: 0 kPa  
C-Rate of Change: 25 kPa/m

Name: CI 5  
Model: S=f(depth)  
Unit Weight: 17 kN/m<sup>3</sup>  
C-Top of Layer: 25 kPa  
C-Rate of Change: 2.37 kPa/m



# SLOPE/W Analysis

Report generated using GeoStudio 2007, version 7.17. Copyright © 1991-2010 GEO-SLOPE International Ltd.

## File Information

Created By: [Rebecca Bertilsson](#)  
Revision Number: [102](#)  
Last Edited By: [Kine Meijer](#)  
Date: [2011-08-31](#)  
Time: [01:00:10](#)  
File Name: [V15170\\_kombinerad print sm.gsz](#)  
Directory: [P:\!Göta älv utredningen 2009-2012\Delområde 1-10\Delområde 5-14085\Geoteknik\Text\Interngranskning\V15170\110830\](#)  
Last Solved Date: [2011-08-31](#)  
Last Solved Time: [01:00:42](#)

## Project Settings

Length(L) Units: [meters](#)  
Time(t) Units: [Seconds](#)  
Force(F) Units: [kN](#)  
Pressure(p) Units: [kPa](#)  
Strength Units: [kPa](#)  
Unit Weight of Water: [9.807 kN/m<sup>3</sup>](#)  
View: [2D](#)

## Analysis Settings

### SLOPE/W Analysis

Kind: [SLOPE/W](#)  
Method: [Morgenstern-Price](#)  
Settings  
    Side Function  
        Interslice force function option: [Half-Sine](#)  
    PWP Conditions Source: [Pressure Head Spatial Function](#)  
    Pressure Head Spatial Fn.: [Uppmätta värden](#)  
Slip Surface  
    Direction of movement: [Right to Left](#)  
    Use Passive Mode: [No](#)  
    Slip Surface Option: [Entry and Exit](#)  
    Critical slip surfaces saved: [5](#)  
    Optimize Critical Slip Surface Location: [Yes](#)  
Tension Crack  
    Tension Crack Option: [Tension Crack Line](#)

Percentage Wet: 0.5

Tension Crack Fluid Unit Weight: 9.807 kN/m<sup>3</sup>

FOS Distribution

FOS Calculation Option: Constant

Advanced

Number of Slices: 30

Optimization Tolerance: 0.01

Minimum Slip Surface Depth: 1 m

Optimization Maximum Iterations: 2000

Optimization Convergence Tolerance: 1e-007

Starting Optimization Points: 8

Ending Optimization Points: 16

Complete Passes per Insertion: 1

Driving Side Maximum Convex Angle: 5 °

Resisting Side Maximum Convex Angle: 1 °

## Materials

### CI 1

Model: Combined, S=f(datum)

Unit Weight: 17 kN/m<sup>3</sup>

Phi: 30 °

C-Datum: 0 kPa

C-Rate of Change: 0 kPa/m

Cu-Datum: 28 kPa

Cu-Rate of Change: 0 kPa/m

C/Cu Ratio: 0.1

Elevation: 0 m

### Crust

Model: Combined, S=f(datum)

Unit Weight: 18 kN/m<sup>3</sup>

Phi: 30 °

C-Datum: 0 kPa

C-Rate of Change: 0 kPa/m

Cu-Datum: 30 kPa

Cu-Rate of Change: 0 kPa/m

C/Cu Ratio: 0.1

Elevation: 0 m

### CI 2

Model: Combined, S=f(datum)

Unit Weight: 17 kN/m<sup>3</sup>

Phi: 30 °

C-Datum: 0 kPa

C-Rate of Change: 0 kPa/m

Cu-Datum: 28 kPa  
Cu-Rate of Change: 1.81 kPa/m  
C/Cu Ratio: 0.1  
Elevation: 15 m

### CI 3

Model: Combined,  $S=f(\text{datum})$   
Unit Weight: 17 kN/m<sup>3</sup>  
Phi: 30 °  
C-Datum: 0 kPa  
C-Rate of Change: 0 kPa/m  
Cu-Datum: 28 kPa  
Cu-Rate of Change: 2.1 kPa/m  
C/Cu Ratio: 0.1  
Elevation: 5 m


### CI 4

Model: Combined,  $S=f(\text{depth})$   
Unit Weight: 17 kN/m<sup>3</sup>  
Phi: 30 °  
C-Top of Layer: 0 kPa  
C-Rate of Change: 0 kPa/m  
Cu-Top of Layer: 0 kPa  
Cu-Rate of Change: 25 kPa/m  
C/Cu Ratio: 0.1


### CI 5

Model: Combined,  $S=f(\text{depth})$   
Unit Weight: 17 kN/m<sup>3</sup>  
Phi: 30 °  
C-Top of Layer: 0 kPa  
C-Rate of Change: 0 kPa/m  
Cu-Top of Layer: 25 kPa  
Cu-Rate of Change: 2.37 kPa/m  
C/Cu Ratio: 0.1





Figur 1. Kohesion och friktion.




Figur 2. Totalspänning, effektivspänning och portryck.



# KLIMATANPASSNING SKREDFÖRUTSÄTTNINGAR I GÖTA ÄLVDALEN

Sektion: V15170  
Delområde: Intagan Ström  
Analysmetod: Kombinerad analys

Slip Surface Option: Entry and Exit  
Method: Morgenstern-Price  
PWP Conditions Source: Pressure Head Spatial Function  
Date: 2011-08-31  
Created By: Rebecca Bertilsson  
Last Edited By: Kine Meijer



Name: Cl 1  
 Model: Combined,  $S=f(\text{datum})$   
 Unit Weight: 17 kN/m<sup>3</sup>  
 Phi: 30 °  
 C-Rate of Change: 0 kPa/m  
 Cu-Datum: 28 kPa  
 Cu-Rate of Change: 0 kPa/m  
 C/Cu Ratio: 0.1  
 Elevation: 0 m

Name: Crust  
 Model: Combined,  $S=f(\text{datum})$   
 Unit Weight: 18 kN/m<sup>3</sup>  
 Phi: 30 °  
 C-Rate of Change: 0 kPa/m  
 Cu-Datum: 30 kPa  
 Cu-Rate of Change: 0 kPa/m  
 C/Cu Ratio: 0.1  
 Elevation: 0 m

Name: Cl 2  
 Model: Combined,  $S=f(\text{datum})$   
 Unit Weight: 17 kN/m<sup>3</sup>  
 Phi: 30 °  
 C-Rate of Change: 0 kPa/m  
 Cu-Datum: 28 kPa  
 Cu-Rate of Change: 1.81 kPa/m  
 C/Cu Ratio: 0.1  
 Elevation: 15 m

Name: Cl 3  
 Model: Combined,  $S=f(\text{datum})$   
 Unit Weight: 17 kN/m<sup>3</sup>  
 Phi: 30 °  
 C-Rate of Change: 0 kPa/m  
 Cu-Datum: 28 kPa  
 Cu-Rate of Change: 2.1 kPa/m  
 C/Cu Ratio: 0.1  
 Elevation: 5 m

Name: Cl 4  
 Model: Combined,  $S=f(\text{depth})$   
 Unit Weight: 17 kN/m<sup>3</sup>  
 Phi: 30 °  
 C-Top of Layer: 0 kPa  
 C-Rate of Change: 0 kPa/m  
 Cu-Top of Layer: 0 kPa  
 Cu-Rate of Change: 25 kPa/m  
 C/Cu Ratio: 0.1

Name: Cl 5  
 Model: Combined,  $S=f(\text{depth})$   
 Unit Weight: 17 kN/m<sup>3</sup>  
 Phi: 30 °  
 C-Top of Layer: 0 kPa  
 C-Rate of Change: 0 kPa/m  
 Cu-Top of Layer: 25 kPa  
 Cu-Rate of Change: 2.37 kPa/m  
 C/Cu Ratio: 0.1

Directory: P:\!Göta älv utredningen 2009-2012\Delområde 1-10\Delområde 5-14085\Geoteknik\Text\Interngranskning\V15170\110830\  
File Name: V15170\_kombinerad print sm.gsz



# KLIMATANPASSNING SKREDFÖRUTSÄTTNINGAR I GÖTA ÄLVDALEN

Sektion: V15170  
Delområde: Intagan Ström  
Analysmetod: Kombinerad analys

Slip Surface Option: Entry and Exit  
Method: Morgenstern-Price  
PWP Conditions Source: Pressure Head Spatial Function  
Date: 2011-09-01  
Created By: Rebecca Bertilsson  
Last Edited By: Kine Meijer

Model: Combined, S=f(datum)  
Unit Weight: 17 kN/m<sup>3</sup>  
Phi: 30 °  
C-Rate of Change: 0 kPa/m  
Cu-Datum: 28 kPa  
Cu-Rate of Change: 0 kPa/m  
C/Cu Ratio: 0.1  
Elevation: 0 m


Name: Crust  
Model: Combined, S=f(datum)  
Unit Weight: 18 kN/m<sup>3</sup>  
Phi: 30 °  
C-Rate of Change: 0 kPa/m  
Cu-Datum: 30 kPa  
Cu-Rate of Change: 0 kPa/m  
C/Cu Ratio: 0.1  
Elevation: 0 m

Name: CI 2  
Model: Combined, S=f(datum)  
Unit Weight: 17 kN/m<sup>3</sup>  
Phi: 30 °  
C-Rate of Change: 0 kPa/m  
Cu-Datum: 28 kPa  
Cu-Rate of Change: 1.81 kPa/m  
C/Cu Ratio: 0.1  
Elevation: 15 m

Name: CI 3  
Model: Combined, S=f(datum)  
Unit Weight: 17 kN/m<sup>3</sup>  
Phi: 30 °  
C-Rate of Change: 0 kPa/m  
Cu-Datum: 28 kPa  
Cu-Rate of Change: 2.1 kPa/m  
C/Cu Ratio: 0.1  
Elevation: 5 m

Name: CI 4  
Model: Combined, S=f(depth)  
Unit Weight: 17 kN/m<sup>3</sup>  
Phi: 30 °  
C-Top of Layer: 0 kPa  
C-Rate of Change: 0 kPa/m  
Cu-Top of Layer: 0 kPa  
Cu-Rate of Change: 25 kPa/m  
C/Cu Ratio: 0.1

Name: CI 5  
Model: Combined, S=f(depth)  
Unit Weight: 17 kN/m<sup>3</sup>  
Phi: 30 °  
C-Top of Layer: 0 kPa  
C-Rate of Change: 0 kPa/m  
Cu-Top of Layer: 25 kPa  
Cu-Rate of Change: 2.37 kPa/m  
C/Cu Ratio: 0.1



Directory: P:\!Göta älv utredningen 2009-2012\Delområde 1-10\Delområde 5-14085\Geoteknik\Text\Interngranskning\V15170\110830\  
File Name: V15170\_kombinerad print sm.gsz