

SLOPE/W Analysis

Report generated using GeoStudio 2007, version 7.17. Copyright © 1991-2010 GEO-SLOPE International Ltd.

File Information

Created By: [Rebecca Bertilsson](#)
Revision Number: 33
Last Edited By: [Rebecca Bertilsson](#)
Date: 2011-05-02
Time: 12:36:46
File Name: [V16020_odrainerad.gsz](#)
Directory: [P:\!Göta älv utredningen 2009-2012\Delområde 1-10\Delområde 5-14085](#)
[\Geoteknik\Beräkningar\](#)
Last Solved Date: 2011-05-02
Last Solved Time: 12:37:41

Project Settings

Length(L) Units: [meters](#)
Time(t) Units: [Seconds](#)
Force(F) Units: [kN](#)
Pressure(p) Units: [kPa](#)
Strength Units: [kPa](#)
Unit Weight of Water: [9.807 kN/m³](#)
View: [2D](#)

Analysis Settings

SLOPE/W Analysis

Kind: [SLOPE/W](#)
Method: [Morgenstern-Price](#)
Settings
 Apply Phreatic Correction: [No](#)
 Side Function
 Interslice force function option: [Half-Sine](#)
 PWP Conditions Source: [Piezometric Line](#)
 Use Staged Rapid Drawdown: [No](#)
Slip Surface
 Direction of movement: [Right to Left](#)
 Use Passive Mode: [No](#)
 Slip Surface Option: [Entry and Exit](#)
 Critical slip surfaces saved: 5
 Optimize Critical Slip Surface Location: [Yes](#)
Tension Crack
 Tension Crack Option: [Tension Crack Line](#)
 Percentage Wet: 0.5
 Tension Crack Fluid Unit Weight: [9.807 kN/m³](#)
FOS Distribution
 FOS Calculation Option: [Constant](#)
Advanced

Number of Slices: 30
Optimization Tolerance: 0.01
Minimum Slip Surface Depth: 0.1 m
Optimization Maximum Iterations: 2000
Optimization Convergence Tolerance: 1e-007
Starting Optimization Points: 8
Ending Optimization Points: 16
Complete Passes per Insertion: 1
Driving Side Maximum Convex Angle: 5 °
Resisting Side Maximum Convex Angle: 1 °

Materials

CI

Model: $S=f(\text{datum})$
Unit Weight: 17 kN/m³
C-Datum: 28 kPa
C-Rate of Change: 0 kPa/m
Limiting C: 0 kPa
Elevation: 0 m
Pore Water Pressure
Piezometric Line: 1

Crust

Model: Mohr-Coulomb
Unit Weight: 18 kN/m³
Cohesion: 30 kPa
Phi: 0 °
Phi-B: 0 °
Pore Water Pressure
Piezometric Line: 1

CI 2

Model: $S=f(\text{datum})$
Unit Weight: 17 kN/m³
C-Datum: 28 kPa
C-Rate of Change: 1.81 kPa/m
Limiting C: 0 kPa
Elevation: 15 m
Pore Water Pressure
Piezometric Line: 1

CI 3

Model: $S=f(\text{datum})$
Unit Weight: 17 kN/m³
C-Datum: 28 kPa
C-Rate of Change: 2.1 kPa/m
Limiting C: 0 kPa
Elevation: 5 m
Pore Water Pressure
Piezometric Line: 1


CI 4

Model: $S=f(\text{depth})$
 Unit Weight: 17 kN/m^3
 C-Top of Layer: 0 kPa
 C-Rate of Change: 25 kPa/m
 Limiting C: 0 kPa
 Pore Water Pressure
 Piezometric Line: 1


CI 5

Model: $S=f(\text{depth})$
 Unit Weight: 17 kN/m^3
 C-Top of Layer: 25 kPa
 C-Rate of Change: 2.37 kPa/m
 Limiting C: 0 kPa
 Pore Water Pressure
 Piezometric Line: 1

Charts



Figur 1 Kohesion [kPa] och friktionsvinkel [°] längs farligaste glidyten, redovisad i SLOPE/W.



Figur 2 Normalspänning, portryck och effektivspänning längs farligaste glidytan, redovisad i SLOPE/W.



KLIMATANPASSNING SKREDFÖRUTSÄTTNINGAR I GÖTA ÄLVDALLEN

Sektion: V16020
Delområde: Intagan Ström
Analysmetod: Odränerad analys

Slip Surface Option: Entry and Exit
Method: Morgenstern-Price
PWP Conditions Source: Piezometric Line
Date: 2011-08-24
Created By: Rebecca Bertilsson
Last Edited By: Kine Meijer

Name: CI
Model: S=f(datum)
Unit Weight: 17 kN/m³
C-Datum: 28 kPa
C-Rate of Change: 0 kPa/m


Name: Crust
Model: Mohr-Coulomb
Unit Weight: 18 kN/m³
Cohesion: 30 kPa
Phi: 0°

Name: CI 2
Model: S=f(datum)
Unit Weight: 17 kN/m³
C-Datum: 28 kPa
C-Rate of Change: 1.81 kPa/m

Name: CI 3
Model: S=f(datum)
Unit Weight: 17 kN/m³
C-Datum: 28 kPa
C-Rate of Change: 2.1 kPa/m

Name: CI 4
Model: S=f(depth)
Unit Weight: 17 kN/m³
C-Top of Layer: 0 kPa
C-Rate of Change: 25 kPa/m

Name: CI 5
Model: S=f(depth)
Unit Weight: 17 kN/m³
C-Top of Layer: 25 kPa
C-Rate of Change: 2.37 kPa/m



SLOPE/W Analysis

Report generated using GeoStudio 2007, version 7.17. Copyright © 1991-2010 GEO-SLOPE International Ltd.

File Information

Created By: [Rebecca Bertilsson](#)
Revision Number: 50
Last Edited By: [Rebecca Bertilsson](#)
Date: 2011-05-02
Time: 14:19:47
File Name: [V16020_kombinerad.gsz](#)
Directory: [P:\!Göta älv utredningen 2009-2012\Delområde 1-10\Delområde 5-14085
\Geoteknik\Beräkningar\](#)
Last Solved Date: 2011-05-02
Last Solved Time: 14:21:37

Project Settings

Length(L) Units: [meters](#)
Time(t) Units: [Seconds](#)
Force(F) Units: [kN](#)
Pressure(p) Units: [kPa](#)
Strength Units: [kPa](#)
Unit Weight of Water: [9.807 kN/m³](#)
View: [2D](#)

Analysis Settings

SLOPE/W Analysis

Kind: [SLOPE/W](#)
Method: [Morgenstern-Price](#)
Settings
 Side Function
 Interslice force function option: [Half-Sine](#)
 PWP Conditions Source: [Pressure Head Spatial Function](#)
 Pressure Head Spatial Fn.: [Uppmätta värden](#)
Slip Surface
 Direction of movement: [Right to Left](#)
 Use Passive Mode: [No](#)
 Slip Surface Option: [Entry and Exit](#)
 Critical slip surfaces saved: 5
 Optimize Critical Slip Surface Location: [Yes](#)
Tension Crack
 Tension Crack Option: [Tension Crack Line](#)
 Percentage Wet: [0.5](#)
 Tension Crack Fluid Unit Weight: [9.807 kN/m³](#)
FOS Distribution
 FOS Calculation Option: [Constant](#)
Advanced
 Number of Slices: 30

Optimization Tolerance: 0.01
Minimum Slip Surface Depth: 0.1 m
Optimization Maximum Iterations: 2000
Optimization Convergence Tolerance: 1e-007
Starting Optimization Points: 8
Ending Optimization Points: 16
Complete Passes per Insertion: 1
Driving Side Maximum Convex Angle: 5 °
Resisting Side Maximum Convex Angle: 1 °

Materials

CI

Model: Combined, $S=f(\text{datum})$
Unit Weight: 17 kN/m³
Phi: 30 °
C-Datum: 0 kPa
C-Rate of Change: 0 kPa/m
Cu-Datum: 28 kPa
Cu-Rate of Change: 0 kPa/m
C/Cu Ratio: 0.1
Elevation: 0 m

Crust

Model: Combined, $S=f(\text{datum})$
Unit Weight: 18 kN/m³
Phi: 30 °
C-Datum: 0 kPa
C-Rate of Change: 0 kPa/m
Cu-Datum: 30 kPa
Cu-Rate of Change: 0 kPa/m
C/Cu Ratio: 0.1
Elevation: 0 m

CI 2

Model: Combined, $S=f(\text{datum})$
Unit Weight: 17 kN/m³
Phi: 30 °
C-Datum: 0 kPa
C-Rate of Change: 0 kPa/m
Cu-Datum: 28 kPa
Cu-Rate of Change: 1.81 kPa/m
C/Cu Ratio: 0.1
Elevation: 15 m

CI 3

Model: Combined, $S=f(\text{datum})$
Unit Weight: 17 kN/m³
Phi: 30 °
C-Datum: 0 kPa
C-Rate of Change: 0 kPa/m
Cu-Datum: 28 kPa
Cu-Rate of Change: 2.1 kPa/m

C/Cu Ratio: 0.1
Elevation: 5 m


CI 4

Model: Combined, $S=f(\text{depth})$
Unit Weight: 17 kN/m^3
Phi: 30°
C-Top of Layer: 0 kPa
C-Rate of Change: 0 kPa/m
Cu-Top of Layer: 0 kPa
Cu-Rate of Change: 25 kPa/m
C/Cu Ratio: 0.1


CI 5

Model: Combined, $S=f(\text{depth})$
Unit Weight: 17 kN/m^3
Phi: 30°
C-Top of Layer: 0 kPa
C-Rate of Change: 0 kPa/m
Cu-Top of Layer: 25 kPa
Cu-Rate of Change: 2.37 kPa/m
C/Cu Ratio: 0.1

Charts



Figur 1 Kohesion [kPa] och friktionsvinkel [°] längs farligaste glidytan, redovisad i SLOPE/W.



Figur 2 Normalspänning, portryck och effektivspänning längs farligaste glidytan, redovisad i SLOPE/W.



KLIMATANPASSNING SKREDFÖRUTSÄTTNINGAR I GÖTA ÄLVDALLEN

Sektion: V16020
Delområde: Intagan Ström
Analysmetod: Kombinerad analys

Slip Surface Option: Entry and Exit
Method: Morgenstern-Price
PWP Conditions Source: Pressure Head Spatial Function
Date: 2011-05-02
Created By: Rebecca Bertilsson
Last Edited By: Rebecca Bertilsson

Name: Cl
Model: Combined, $S=f(\text{datum})$
Unit Weight: 17 kN/m³
Phi: 30 °
C-Datum: 0 kPa
C-Rate of Change: 0 kPa/m
Cu-Datum: 28 kPa
Cu-Rate of Change: 0 kPa/m
C/Cu Ratio: 0.1


Name: Crust
Model: Combined, $S=f(\text{datum})$
Unit Weight: 18 kN/m³
Phi: 30 °
C-Datum: 0 kPa
C-Rate of Change: 0 kPa/m
Cu-Datum: 30 kPa
Cu-Rate of Change: 0 kPa/m
C/Cu Ratio: 0.1

Name: Cl 2
Model: Combined, $S=f(\text{datum})$
Unit Weight: 17 kN/m³
Phi: 30 °
C-Datum: 0 kPa
C-Rate of Change: 0 kPa/m
Cu-Datum: 28 kPa
Cu-Rate of Change: 1.81 kPa/m
C/Cu Ratio: 0.1

Name: Cl 3
Model: Combined, $S=f(\text{datum})$
Unit Weight: 17 kN/m³
Phi: 30 °
C-Datum: 0 kPa
C-Rate of Change: 0 kPa/m
Cu-Datum: 28 kPa
Cu-Rate of Change: 2.1 kPa/m
C/Cu Ratio: 0.1

Name: Cl 4
Model: Combined, $S=f(\text{depth})$
Unit Weight: 17 kN/m³
Phi: 30 °
C-Top of Layer: 0 kPa
C-Rate of Change: 0 kPa/m
Cu-Top of Layer: 0 kPa
Cu-Rate of Change: 25 kPa/m
C/Cu Ratio: 0.1

Name: Cl 5
Model: Combined, $S=f(\text{depth})$
Unit Weight: 17 kN/m³
Phi: 30 °
C-Top of Layer: 0 kPa
C-Rate of Change: 0 kPa/m
Cu-Top of Layer: 25 kPa
Cu-Rate of Change: 2.37 kPa/m
C/Cu Ratio: 0.1





KLIMATANPASSNING SKREDFÖRUTSÄTTNINGAR I GÖTA ÄLVDALLEN

Sektion: V16020
Delområde: Intagan Ström
Analysmetod: Kombinerad analys

Slip Surface Option: Entry and Exit
Method: Morgenstern-Price
PWP Conditions Source: Pressure Head Spatial Function
Date: 2011-05-02
Created By: Rebecca Bertilsson
Last Edited By: Rebecca Bertilsson

05PM001 Bilaga 7 11 (11)
Skala 1:1000 (A3)
 Name: Cl
 Model: Combined, $S=f(\text{datum})$
 Unit Weight: 17 kN/m³
 Phi: 30 °
 C-Datum: 0 kPa
 C-Rate of Change: 0 kPa/m
 Cu-Datum: 28 kPa
 Cu-Rate of Change: 0 kPa/m
 C/Cu Ratio: 0.1

Name: Crust
 Model: Combined, $S=f(\text{datum})$
 Unit Weight: 18 kN/m³
 Phi: 30 °
 C-Datum: 0 kPa
 C-Rate of Change: 0 kPa/m
 Cu-Datum: 30 kPa
 Cu-Rate of Change: 0 kPa/m
 C/Cu Ratio: 0.1

Name: Cl 2
 Model: Combined, $S=f(\text{datum})$
 Unit Weight: 17 kN/m³
 Phi: 30 °
 C-Datum: 0 kPa
 C-Rate of Change: 0 kPa/m
 Cu-Datum: 28 kPa
 Cu-Rate of Change: 1.81 kPa/m
 C/Cu Ratio: 0.1

Name: Cl 3
 Model: Combined, $S=f(\text{datum})$
 Unit Weight: 17 kN/m³
 Phi: 30 °
 C-Datum: 0 kPa
 C-Rate of Change: 0 kPa/m
 Cu-Datum: 28 kPa
 Cu-Rate of Change: 2.1 kPa/m
 C/Cu Ratio: 0.1

Name: Cl 4
 Model: Combined, $S=f(\text{depth})$
 Unit Weight: 17 kN/m³
 Phi: 30 °
 C-Top of Layer: 0 kPa
 C-Rate of Change: 0 kPa/m
 Cu-Top of Layer: 0 kPa
 Cu-Rate of Change: 25 kPa/m
 C/Cu Ratio: 0.1

Name: Cl 5
 Model: Combined, $S=f(\text{depth})$
 Unit Weight: 17 kN/m³
 Phi: 30 °
 C-Top of Layer: 0 kPa
 C-Rate of Change: 0 kPa/m
 Cu-Top of Layer: 25 kPa
 Cu-Rate of Change: 2.37 kPa/m
 C/Cu Ratio: 0.1

