

# Odränerad analys

Report generated using GeoStudio 2007, version 7.16. Copyright © 1991-2010 GEO-SLOPE International Ltd.

## File Information

Created By: [Petter Karlsson](#)  
Revision Number: 44  
Last Edited By: [Karlsson, Petter](#)  
Date: [2011-01-12](#)  
Time: [09:12:30](#)  
File Name: [V21450\\_odrainerad.gsz](#)  
Directory: [V:\\\_UPPDRAAG\227763\G\\\_Text\V21450\](#)  
Last Solved Date: [2011-01-12](#)  
Last Solved Time: [09:14:27](#)

## Project Settings

Length(L) Units: [meters](#)  
Time(t) Units: [Seconds](#)  
Force(F) Units: [kN](#)  
Pressure(p) Units: [kPa](#)  
Strength Units: [kPa](#)  
Unit Weight of Water: [9.807 kN/m<sup>3</sup>](#)  
View: [2D](#)

## Analysis Settings

### Odränerad analys

Kind: [SLOPE/W](#)  
Method: [Morgenstern-Price](#)  
Settings  
    Apply Phreatic Correction: [No](#)  
    Side Function  
        Interslice force function option: [Half-Sine](#)  
    PWP Conditions Source: [Piezometric Line](#)  
    Use Staged Rapid Drawdown: [No](#)  
Slip Surface  
    Direction of movement: [Right to Left](#)  
    Use Passive Mode: [No](#)  
    Slip Surface Option: [Entry and Exit](#)  
    Critical slip surfaces saved: [5](#)  
    Optimize Critical Slip Surface Location: [Yes](#)  
Tension Crack  
    Tension Crack Option: [Tension Crack Line](#)

Percentage Wet: 0.5

Tension Crack Fluid Unit Weight: 9.807 kN/m<sup>3</sup>

FOS Distribution

FOS Calculation Option: Constant

Advanced

Number of Slices: 30

Optimization Tolerance: 0.01

Minimum Slip Surface Depth: 0.1 m

Optimization Maximum Iterations: 2000

Optimization Convergence Tolerance: 1e-007

Starting Optimization Points: 8

Ending Optimization Points: 16

Complete Passes per Insertion: 1

Driving Side Maximum Convex Angle: 5 °

Resisting Side Maximum Convex Angle: 1 °

## Materials

### Crust

Model: Mohr-Coulomb

Unit Weight: 18 kN/m<sup>3</sup>

Cohesion: 30 kPa

Phi: 0 °

Phi-B: 0 °

Pore Water Pressure

Piezometric Line: 1

### CI 1

Model: S=f(datum)

Unit Weight: 17.2 kN/m<sup>3</sup>

C-Datum: 28 kPa

C-Rate of Change: 0 kPa/m

Limiting C: 0 kPa

Elevation: 25 m

Pore Water Pressure

Piezometric Line: 1

### CI 2

Model: S=f(datum)

Unit Weight: 17.2 kN/m<sup>3</sup>

C-Datum: 28 kPa

C-Rate of Change: 1.81 kPa/m

Limiting C: 0 kPa

Elevation: 15 m

Pore Water Pressure

Piezometric Line: 1

## CI 3

Model:  $S=f(\text{datum})$   
Unit Weight: 16.6 kN/m<sup>3</sup>  
C-Datum: 28 kPa  
C-Rate of Change: 1.81 kPa/m  
Limiting C: 0 kPa  
Elevation: 15 m  
Pore Water Pressure  
Piezometric Line: 1

## CI 4

Model:  $S=f(\text{datum})$   
Unit Weight: 17 kN/m<sup>3</sup>  
C-Datum: 28 kPa  
C-Rate of Change: 1.81 kPa/m  
Limiting C: 0 kPa  
Elevation: 15 m  
Pore Water Pressure  
Piezometric Line: 1

## CI 5

Model:  $S=f(\text{datum})$   
Unit Weight: 17.2 kN/m<sup>3</sup>  
C-Datum: 28 kPa  
C-Rate of Change: 0 kPa/m  
Limiting C: 0 kPa  
Elevation: 15 m  
Pore Water Pressure  
Piezometric Line: 1

## CI 6

Model:  $S=f(\text{datum})$   
Unit Weight: 16.6 kN/m<sup>3</sup>  
C-Datum: 28 kPa  
C-Rate of Change: 1.68 kPa/m  
Limiting C: 0 kPa  
Elevation: 5 m  
Pore Water Pressure  
Piezometric Line: 1

## CI 7

Model:  $S=f(\text{datum})$   
Unit Weight: 17 kN/m<sup>3</sup>  
C-Datum: 28 kPa  
C-Rate of Change: 1.68 kPa/m  
Limiting C: 0 kPa  
Elevation: 5 m


Pore Water Pressure  
Piezometric Line: 1

CI 8

Model:  $S=f(\text{depth})$   
Unit Weight:  $17.2 \text{ kN/m}^3$   
C-Top of Layer:  $3 \text{ kPa}$   
C-Rate of Change:  $11 \text{ kPa/m}$   
Limiting C:  $25 \text{ kPa}$   
Pore Water Pressure  
Piezometric Line: 1

CI 9

Model:  $S=f(\text{depth})$   
Unit Weight:  $16.6 \text{ kN/m}^3$   
C-Top of Layer:  $25 \text{ kPa}$   
C-Rate of Change:  $1.71 \text{ kPa/m}$   
Limiting C:  $0 \text{ kPa}$   
Pore Water Pressure  
Piezometric Line: 1



Figur 1. Kohesion och friktion.



# KLIMATANPASSNING SKREDFÖRUTSÄTTNINGAR I GÖTA ÄLVDALEN

Sektion: V21400  
 Delområde: Intagan - Ström  
 Analysmetod: Odränerad analys

Slip Surface Option: Entry and Exit  
 Method: Morgenstern-Price  
 PWP Conditions Source: Piezometric Line  
 Date: 2011-01-10  
 Created By: Petter Karlsson  
 Last Edited By: Karlsson, Petter

Skala 1:1000 (A3)

Name: Crust  
 Model: Mohr-Coulomb  
 Unit Weight: 18 kN/m<sup>3</sup>  
 Cohesion: 30 kPa

Name: CI 1  
 Model: S=f(datum)  
 Unit Weight: 17.2 kN/m<sup>3</sup>  
 C-Datum: 28 kPa  
 C-Rate of Change: 0 kPa/m  
 Elevation: 25 m

Name: CI 2  
 Model: S=f(datum)  
 Unit Weight: 16.6 kN/m<sup>3</sup>  
 C-Datum: 28 kPa  
 C-Rate of Change: 1.81 kPa/m  
 Elevation: 15 m


Name: CI 3  
 Model: S=f(datum)  
 Unit Weight: 17.2 kN/m<sup>3</sup>  
 C-Datum: 28 kPa  
 C-Rate of Change: 0 kPa/m  
 Elevation: 25 m

Name: CI 4  
 Model: S=f(datum)  
 Unit Weight: 16.6 kN/m<sup>3</sup>  
 C-Datum: 28 kPa  
 C-Rate of Change: 1.68 kPa/m  
 Elevation: 5 m

Name: CI 5  
 Model: S=f(depth)  
 Unit Weight: 16.6 kN/m<sup>3</sup>  
 C-Top of Layer: 3 kPa  
 C-Rate of Change: 11 kPa/m

Name: CI 6  
 Model: S=f(depth)  
 Unit Weight: 16.6 kN/m<sup>3</sup>  
 C-Top of Layer: 25 kPa  
 C-Rate of Change: 1.67 kPa/m

Name: CI 7  
 Model: S=f(datum)  
 Unit Weight: 17 kN/m<sup>3</sup>  
 C-Datum: 28 kPa  
 C-Rate of Change: 1.81 kPa/m  
 Elevation: 15 m



# Kombinerad Analys

Report generated using GeoStudio 2007, version 7.16. Copyright © 1991-2010 GEO-SLOPE International Ltd.

## File Information

Created By: [Petter Karlsson](#)  
Revision Number: 53  
Last Edited By: [Karlsson, Petter](#)  
Date: 2011-01-04  
Time: 10:34:40  
File Name: V21400\_kombinerad.gsz  
Directory: V:\\_UPPDRAAG\227763\G\\_Text\V21400\  
Last Solved Date: 2011-01-04  
Last Solved Time: 10:36:10

## Project Settings

Length(L) Units: [meters](#)  
Time(t) Units: [Seconds](#)  
Force(F) Units: [kN](#)  
Pressure(p) Units: [kPa](#)  
Strength Units: [kPa](#)  
Unit Weight of Water: [9.807 kN/m<sup>3</sup>](#)  
View: [2D](#)

## Analysis Settings

### Kombinerad Analys

Kind: [SLOPE/W](#)  
Method: [Morgenstern-Price](#)  
Settings  
Side Function  
Interslice force function option: [Half-Sine](#)  
PWP Conditions Source: [Pressure Head Spatial Function](#)  
Pressure Head Spatial Fn.: [Nulågesanalys](#)  
Slip Surface  
Direction of movement: [Right to Left](#)  
Use Passive Mode: [No](#)  
Slip Surface Option: [Entry and Exit](#)  
Critical slip surfaces saved: 5  
Optimize Critical Slip Surface Location: [Yes](#)  
Tension Crack  
Tension Crack Option: [Tension Crack Line](#)  
Percentage Wet: [0.5](#)

Tension Crack Fluid Unit Weight: 9.807 kN/m<sup>3</sup>

FOS Distribution

FOS Calculation Option: Constant

Advanced

Number of Slices: 30

Optimization Tolerance: 0.01

Minimum Slip Surface Depth: 0.1 m

Optimization Maximum Iterations: 2000

Optimization Convergence Tolerance: 1e-007

Starting Optimization Points: 8

Ending Optimization Points: 16

Complete Passes per Insertion: 1

Driving Side Maximum Convex Angle: 5 °

Resisting Side Maximum Convex Angle: 1 °

## Materials

### CI 1

Model: Combined, S=f(datum)

Unit Weight: 17.2 kN/m<sup>3</sup>

Phi: 30 °

C-Datum: 0 kPa

C-Rate of Change: 0 kPa/m

Cu-Datum: 28 kPa

Cu-Rate of Change: 0 kPa/m

C/Cu Ratio: 0.1

Elevation: 25 m

### CI 2

Model: Combined, S=f(datum)

Unit Weight: 16.6 kN/m<sup>3</sup>

Phi: 30 °

C-Datum: 0 kPa

C-Rate of Change: 0 kPa/m

Cu-Datum: 28 kPa

Cu-Rate of Change: 1.81 kPa/m

C/Cu Ratio: 0.1

Elevation: 15 m

### CI 3

Model: Combined, S=f(datum)

Unit Weight: 17.2 kN/m<sup>3</sup>

Phi: 30 °

C-Datum: 0 kPa

C-Rate of Change: 0 kPa/m

Cu-Datum: 28 kPa

Cu-Rate of Change: 0 kPa/m  
C/Cu Ratio: 0.1  
Elevation: 25 m

## CI 4

Model: Combined,  $S=f(\text{datum})$   
Unit Weight: 16.6 kN/m<sup>3</sup>  
Phi: 30 °  
C-Datum: 0 kPa  
C-Rate of Change: 0 kPa/m  
Cu-Datum: 28 kPa  
Cu-Rate of Change: 1.68 kPa/m  
C/Cu Ratio: 0.1  
Elevation: 5 m

## Crust

Model: Combined,  $S=f(\text{depth})$   
Unit Weight: 18 kN/m<sup>3</sup>  
Phi: 30 °  
C-Top of Layer: 0 kPa  
C-Rate of Change: 0 kPa/m  
Cu-Top of Layer: 30 kPa  
Cu-Rate of Change: 0 kPa/m  
C/Cu Ratio: 0.1

## CI 5

Model: Combined,  $S=f(\text{depth})$   
Unit Weight: 16.6 kN/m<sup>3</sup>  
Phi: 30 °  
C-Top of Layer: 0 kPa  
C-Rate of Change: 0 kPa/m  
Cu-Top of Layer: 3 kPa  
Cu-Rate of Change: 11 kPa/m  
C/Cu Ratio: 0.1

## CI 6


Model: Combined,  $S=f(\text{depth})$   
Unit Weight: 16.6 kN/m<sup>3</sup>  
Phi: 30 °  
C-Top of Layer: 0 kPa  
C-Rate of Change: 0 kPa/m  
Cu-Top of Layer: 25 kPa  
Cu-Rate of Change: 1.67 kPa/m  
C/Cu Ratio: 0.1

## CI 7


Model: Combined,  $S=f(\text{datum})$   
Unit Weight: 17 kN/m<sup>3</sup>



Phi: 30 °  
C-Datum: 0 kPa  
C-Rate of Change: 0 kPa/m  
Cu-Datum: 28 kPa  
Cu-Rate of Change: 1.81 kPa/m  
C/Cu Ratio: 0.1  
Elevation: 15 m



Figur 1. Kohesion och friktion



Figur 2. Totalspänning, effektivspänning och portryck



# KLIMATANPASSNING SKREDFÖRUTSÄTTNINGAR I GÖTA ÄLVDALLEN

Sektion: V21400  
 Delområde: Intagan - Ström  
 Analysmetod: Kombinerad analys

Slip Surface Option: Entry and Exit  
 Method: Morgenstern-Price  
 PWP Conditions Source: Pressure Head Spatial Function  
 Date: 2011-01-10  
 Created By: Petter Karlsson  
 Last Edited By: Karlsson, Petter

Skala 1:1000 (A3)

Name: Crust  
 Model: Combined,  $S=f(\text{depth})$   
 Unit Weight: 18 kN/m<sup>3</sup>  
 Phi: 30 °  
 Cu-Top of Layer: 30 kPa  
 Cu-Rate of Change: 0 kPa/m  
 C/Cu Ratio: 0.1

Name: CI 1  
 Model: Combined,  $S=f(\text{datum})$   
 Unit Weight: 17.2 kN/m<sup>3</sup>  
 Phi: 30 °  
 Cu-Datum: 28 kPa  
 Cu-Rate of Change: 0 kPa/m  
 C/Cu Ratio: 0.1  
 Elevation: 25 m

Name: CI 2  
 Model: Combined,  $S=f(\text{datum})$   
 Unit Weight: 16.6 kN/m<sup>3</sup>  
 Phi: 30 °  
 Cu-Datum: 28 kPa  
 Cu-Rate of Change: 1.81 kPa/m  
 C/Cu Ratio: 0.1  
 Elevation: 15 m


Name: CI 3  
 Model: Combined,  $S=f(\text{datum})$   
 Unit Weight: 17.2 kN/m<sup>3</sup>  
 Phi: 30 °  
 Cu-Datum: 28 kPa  
 Cu-Rate of Change: 0 kPa/m  
 C/Cu Ratio: 0.1  
 Elevation: 25 m

Name: CI 4  
 Model: Combined,  $S=f(\text{datum})$   
 Unit Weight: 16.6 kN/m<sup>3</sup>  
 Phi: 30 °  
 Cu-Datum: 28 kPa  
 Cu-Rate of Change: 1.68 kPa/m  
 C/Cu Ratio: 0.1  
 Elevation: 5 m

Name: CI 5  
 Model: Combined,  $S=f(\text{depth})$   
 Unit Weight: 16.6 kN/m<sup>3</sup>  
 Phi: 30 °  
 Cu-Top of Layer: 3 kPa  
 Cu-Rate of Change: 11 kPa/m  
 C/Cu Ratio: 0.1

Name: CI 6  
 Model: Combined,  $S=f(\text{depth})$   
 Unit Weight: 16.6 kN/m<sup>3</sup>  
 Phi: 30 °  
 Cu-Top of Layer: 25 kPa  
 Cu-Rate of Change: 1.67 kPa/m  
 C/Cu Ratio: 0.1

Name: CI 7  
 Model: Combined,  $S=f(\text{datum})$   
 Unit Weight: 17 kN/m<sup>3</sup>  
 Phi: 30 °  
 Cu-Datum: 28 kPa  
 Cu-Rate of Change: 1.81 kPa/m  
 C/Cu Ratio: 0.1



Directory: V:\\_UPPDRAG\227763\G\_Text\V21400\  
 File Name: V21400\_kombinerad.gsz



# KLIMATANPASSNING SKREDFÖRUTSÄTTNINGAR I GÖTA ÄLVDALLEN

Sektion: V21400  
 Delområde: Intagan - Ström  
 Analysmetod: Kombinerad analys

Slip Surface Option: Entry and Exit  
 Method: Morgenstern-Price  
 PWP Conditions Source: Pressure Head Spatial Function  
 Date: 2011-01-10  
 Created By: Petter Karlsson  
 Last Edited By: Karlsson, Petter

## Skala 1:1000 (A3)

Name: Crust  
 Model: Combined,  $S=f(\text{depth})$   
 Unit Weight: 18 kN/m<sup>3</sup>  
 Phi: 30 °  
 Cu-Top of Layer: 30 kPa  
 Cu-Rate of Change: 0 kPa/m  
 C/Cu Ratio: 0.1

Name: CI 1  
 Model: Combined,  $S=f(\text{datum})$   
 Unit Weight: 17.2 kN/m<sup>3</sup>  
 Phi: 30 °  
 Cu-Datum: 28 kPa  
 Cu-Rate of Change: 0 kPa/m  
 C/Cu Ratio: 0.1  
 Elevation: 25 m

Name: CI 2  
 Model: Combined,  $S=f(\text{datum})$   
 Unit Weight: 16.6 kN/m<sup>3</sup>  
 Phi: 30 °  
 Cu-Datum: 28 kPa  
 Cu-Rate of Change: 1.81 kPa/m  
 C/Cu Ratio: 0.1  
 Elevation: 15 m


Name: CI 3  
 Model: Combined,  $S=f(\text{datum})$   
 Unit Weight: 17.2 kN/m<sup>3</sup>  
 Phi: 30 °  
 Cu-Datum: 28 kPa  
 Cu-Rate of Change: 0 kPa/m  
 C/Cu Ratio: 0.1  
 Elevation: 25 m

Name: CI 4  
 Model: Combined,  $S=f(\text{datum})$   
 Unit Weight: 16.6 kN/m<sup>3</sup>  
 Phi: 30 °  
 Cu-Datum: 28 kPa  
 Cu-Rate of Change: 1.68 kPa/m  
 C/Cu Ratio: 0.1  
 Elevation: 5 m

Name: CI 5  
 Model: Combined,  $S=f(\text{depth})$   
 Unit Weight: 16.6 kN/m<sup>3</sup>  
 Phi: 30 °  
 Cu-Top of Layer: 3 kPa  
 Cu-Rate of Change: 11 kPa/m  
 C/Cu Ratio: 0.1

Name: CI 6  
 Model: Combined,  $S=f(\text{depth})$   
 Unit Weight: 16.6 kN/m<sup>3</sup>  
 Phi: 30 °  
 Cu-Top of Layer: 25 kPa  
 Cu-Rate of Change: 1.67 kPa/m  
 C/Cu Ratio: 0.1

Name: CI 7  
 Model: Combined,  $S=f(\text{datum})$   
 Unit Weight: 17 kN/m<sup>3</sup>  
 Phi: 30 °  
 Cu-Datum: 28 kPa  
 Cu-Rate of Change: 1.81 kPa/m  
 C/Cu Ratio: 0.1



Directory: V:\\_UPPDRAG\227763\G\\_Text\V21400\  
 File Name: V21400\_kombinerad.gsz