

Odränerad Analys

Report generated using GeoStudio 2007, version 7.16. Copyright © 1991-2010 GEO-SLOPE International Ltd.

File Information

Created By: [Petter Karlsson](#)
Revision Number: [64](#)
Last Edited By: [Karlsson, Petter](#)
Date: [2011-01-10](#)
Time: [11:58:50](#)
File Name: [V29570_odrainerad.gsz](#)
Directory: [V:_UPPDRAAG\227763\G_Text\V29570\](#)

Project Settings

Length(L) Units: [meters](#)
Time(t) Units: [Seconds](#)
Force(F) Units: [kN](#)
Pressure(ρ) Units: [kPa](#)
Strength Units: [kPa](#)
Unit Weight of Water: [9.807 kN/m³](#)
View: [2D](#)

Analysis Settings

Odränerad analys

Kind: [SLOPE/W](#)
Method: [Morgenstern-Price](#)
Settings
Apply Phreatic Correction: [No](#)
Side Function
Interslice force function option: [Half-Sine](#)
PWP Conditions Source: [Piezometric Line](#)
Use Staged Rapid Drawdown: [No](#)
Slip Surface
Direction of movement: [Right to Left](#)
Use Passive Mode: [No](#)
Slip Surface Option: [Entry and Exit](#)
Critical slip surfaces saved: [5](#)
Optimize Critical Slip Surface Location: [Yes](#)
Tension Crack
Tension Crack Option: [Tension Crack Line](#)
Percentage Wet: [0.5](#)
Tension Crack Fluid Unit Weight: [9.807 kN/m³](#)

FOS Distribution

FOS Calculation Option: **Constant**

Advanced

Number of Slices: **30**Optimization Tolerance: **0.01**Minimum Slip Surface Depth: **0.1 m**Optimization Maximum Iterations: **2000**Optimization Convergence Tolerance: **1e-007**Starting Optimization Points: **8**Ending Optimization Points: **16**Complete Passes per Insertion: **1**Driving Side Maximum Convex Angle: **5 °**Resisting Side Maximum Convex Angle: **1 °**

Materials

Crust

Model: **Mohr-Coulomb**Unit Weight: **18 kN/m³**Cohesion: **30 kPa**Phi: **0 °**Phi-B: **0 °**

Pore Water Pressure

Piezometric Line: **1**

CI 1

Model: **S=f(datum)**Unit Weight: **15.8 kN/m³**C-Datum: **18 kPa**C-Rate of Change: **0 kPa/m**Limiting C: **0 kPa**Elevation: **17 m**

Pore Water Pressure

Piezometric Line: **1**

CI 2

Model: **S=f(datum)**Unit Weight: **15.4 kN/m³**C-Datum: **18 kPa**C-Rate of Change: **1.37 kPa/m**Limiting C: **0 kPa**Elevation: **2 m**

Pore Water Pressure

Piezometric Line: **1**

CI 3


Model: $S=f(\text{datum})$
Unit Weight: 16.4 kN/m³
C-Datum: 18 kPa
C-Rate of Change: 1.37 kPa/m
Limiting C: 0 kPa
Elevation: 2 m
Pore Water Pressure
Piezometric Line: 1

CI 4

Model: $S=f(\text{depth})$
Unit Weight: 15.8 kN/m³
C-Top of Layer: 3 kPa
C-Rate of Change: 6.5 kPa/m
Limiting C: 16 kPa
Pore Water Pressure
Piezometric Line: 1

CI 5

Model: $S=f(\text{depth})$
Unit Weight: 15.8 kN/m³
C-Top of Layer: 16 kPa
C-Rate of Change: 1.5 kPa/m
Limiting C: 0 kPa
Pore Water Pressure
Piezometric Line: 1



Figur 1. Kohesion och friktion.



KLIMATANPASSNING SKREDFÖRUTSÄTTNINGAR I GÖTA ÄLVDALEN

Sektion: V29570

Delområde: Intagan - Ström

Analysmetod: Odränerad analys

Slip Surface Option: Entry and Exit

Method: Morgenstern-Price

PWP Conditions Source: Piezometric Line

Date: 2011-01-10

Created By: Petter Karlsson

Last Edited By: Karlsson, Petter

Skala 1:1000 (A3)


Name: Crust
Model: Mohr-Coulomb
Unit Weight: 18 kN/m³
Cohesion: 30 kPa

Name: CI 1
Model: S=f(datum)
Unit Weight: 15.8 kN/m³
C-Datum: 18 kPa
C-Rate of Change: 0 kPa/m
Elevation: 17 m

Name: CI 2
Model: S=f(datum)
Unit Weight: 15.4 kN/m³
C-Datum: 18 kPa
C-Rate of Change: 1.37 kPa/m
Elevation: 2 m

Name: CI 3
Model: S=f(datum)
Unit Weight: 16.4 kN/m³
C-Datum: 18 kPa
C-Rate of Change: 1.37 kPa/m
Elevation: 2 m

Name: CI 4
Model: S=f(depth)
Unit Weight: 15.8 kN/m³
C-Top of Layer: 3 kPa
C-Rate of Change: 6.5 kPa/m



Name: CI 5
Model: S=f(depth)
Unit Weight: 15.8 kN/m³
C-Top of Layer: 16 kPa
C-Rate of Change: 1.5 kPa/m

Kombinerad Analys

Report generated using GeoStudio 2007, version 7.16. Copyright © 1991-2010 GEO-SLOPE International Ltd.

File Information

Created By: [Petter Karlsson](#)
Revision Number: [56](#)
Last Edited By: [Karlsson, Petter](#)
Date: [2011-01-10](#)
Time: [11:36:06](#)
File Name: [V29570_kombinerad.gsz](#)
Directory: [V:_UPPDRAAG\227763\G_Text\V29570\](#)
Last Solved Date: [2011-01-10](#)
Last Solved Time: [11:39:10](#)

Project Settings

Length(L) Units: [meters](#)
Time(t) Units: [Seconds](#)
Force(F) Units: [kN](#)
Pressure(p) Units: [kPa](#)
Strength Units: [kPa](#)
Unit Weight of Water: [9.807 kN/m³](#)
View: [2D](#)

Analysis Settings

Kombinerad analys

Kind: [SLOPE/W](#)
Method: [Morgenstern-Price](#)
Settings
 Side Function
 Interslice force function option: [Half-Sine](#)
 PWP Conditions Source: [Pressure Head Spatial Function](#)
 Pressure Head Spatial Fn.: [Nulågesanalys](#)
Slip Surface
 Direction of movement: [Right to Left](#)
 Use Passive Mode: [No](#)
 Slip Surface Option: [Entry and Exit](#)
 Critical slip surfaces saved: [5](#)
 Optimize Critical Slip Surface Location: [Yes](#)
 Tension Crack
 Tension Crack Option: [Tension Crack Line](#)
 Percentage Wet: [0.5](#)

Tension Crack Fluid Unit Weight: 9.807 kN/m³

FOS Distribution

FOS Calculation Option: Constant

Advanced

Number of Slices: 30

Optimization Tolerance: 0.01

Minimum Slip Surface Depth: 0.1 m

Optimization Maximum Iterations: 2000

Optimization Convergence Tolerance: 1e-007

Starting Optimization Points: 8

Ending Optimization Points: 16

Complete Passes per Insertion: 1

Driving Side Maximum Convex Angle: 5 °

Resisting Side Maximum Convex Angle: 1 °

Materials

Crust

Model: Combined, S=f(depth)

Unit Weight: 18 kN/m³

Phi: 30 °

C-Top of Layer: 0 kPa

C-Rate of Change: 0 kPa/m

Cu-Top of Layer: 30 kPa

Cu-Rate of Change: 0 kPa/m

C/Cu Ratio: 0.1

CI 1

Model: Combined, S=f(datum)

Unit Weight: 15.8 kN/m³

Phi: 30 °

C-Datum: 0 kPa

C-Rate of Change: 0 kPa/m

Cu-Datum: 18 kPa

Cu-Rate of Change: 0 kPa/m

C/Cu Ratio: 0.1

Elevation: 17 m

CI 2

Model: Combined, S=f(datum)

Unit Weight: 15.4 kN/m³

Phi: 30 °

C-Datum: 0 kPa

C-Rate of Change: 0 kPa/m

Cu-Datum: 18 kPa

Cu-Rate of Change: 1.37 kPa/m

C/Cu Ratio: 0.1
Elevation: 2 m

CI 3


Model: Combined, $S=f(\text{datum})$
Unit Weight: 16.4 kN/m³
Phi: 30 °
C-Datum: 0 kPa
C-Rate of Change: 0 kPa/m
Cu-Datum: 18 kPa
Cu-Rate of Change: 1.37 kPa/m
C/Cu Ratio: 0.1
Elevation: 2 m

CI 4


Model: Combined, $S=f(\text{depth})$
Unit Weight: 15.8 kN/m³
Phi: 30 °
C-Top of Layer: 0 kPa
C-Rate of Change: 0 kPa/m
Cu-Top of Layer: 3 kPa
Cu-Rate of Change: 6.5 kPa/m
C/Cu Ratio: 0.1

CI 5

Model: Combined, $S=f(\text{depth})$
Unit Weight: 15.8 kN/m³
Phi: 30 °
C-Top of Layer: 0 kPa
C-Rate of Change: 0 kPa/m
Cu-Top of Layer: 16 kPa
Cu-Rate of Change: 1.5 kPa/m
C/Cu Ratio: 0.1



Figur 1. Kohesion och friktion.



Figur 2. Totalspänning, effektivspänning och portryck.



KLIMATANPASSNING SKREDFÖRUTSÄTTNINGAR I GÖTA ÄLVDALLEN

Sektion: V29570

Delområde: Intagan - Ström

Analysmetod: Kombinerad analys

Slip Surface Option: Entry and Exit


Method: Morgenstern-Price

PWP Conditions Source: Pressure Head Spatial Function

Date: 2011-01-10

Created By: Petter Karlsson

Last Edited By: Karlsson, Petter



Skala 1:1000 (A3)

Name: Crust

Model: Combined, $S=f(\text{depth})$

Unit Weight: 18 kN/m³

Phi: 30 °

Cu-Top of Layer: 30 kPa

Cu-Rate of Change: 0 kPa/m

C/Cu Ratio: 0.1

Name: CI 1

Model: Combined, $S=f(\text{datum})$

Unit Weight: 15.8 kN/m³

Phi: 30 °

Cu-Datum: 18 kPa

Cu-Rate of Change: 0 kPa/m

C/Cu Ratio: 0.1

Elevation: 17 m

Name: CI 2

Model: Combined, $S=f(\text{datum})$

Unit Weight: 15.4 kN/m³

Phi: 30 °

Cu-Datum: 18 kPa

Cu-Rate of Change: 1.37 kPa/m

C/Cu Ratio: 0.1

Elevation: 2 m

Name: CI 3

Model: Combined, $S=f(\text{datum})$

Unit Weight: 16.4 kN/m³

Phi: 30 °

Cu-Datum: 18 kPa

Cu-Rate of Change: 1.37 kPa/m

C/Cu Ratio: 0.1

Elevation: 2 m

Name: CI 4

Model: Combined, $S=f(\text{depth})$

Unit Weight: 15.8 kN/m³

Phi: 30 °

Cu-Top of Layer: 3 kPa

Cu-Rate of Change: 6.5 kPa/m

C/Cu Ratio: 0.1

Name: CI 5

Model: Combined, $S=f(\text{depth})$

Unit Weight: 15.8 kN/m³

Phi: 30 °

Cu-Top of Layer: 16 kPa

Cu-Rate of Change: 1.5 kPa/m

C/Cu Ratio: 0.1

Directory: V:\UPPDRAG\227763\G_Text\V29570\

File Name: V29570_kombinerad.gsz



KLIMATANPASSNING SKREDFÖRUTSÄTTNINGAR I GÖTA ÄLVDALLEN

Sektion: V29570
 Delområde: Intagan - Ström
 Analysmetod: Kombinerad analys

Slip Surface Option: Entry and Exit
 Method: Morgenstern-Price
 PWP Conditions Source: Pressure Head Spatial Function
 Date: 2011-01-11
 Created By: Petter Karlsson
 Last Edited By: Karlsson, Petter

Skala 1:1000 (A3)

Name: Crust
 Model: Combined, $S=f(\text{depth})$
 Unit Weight: 18 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 30 kPa
 Cu-Rate of Change: 0 kPa/m
 C/Cu Ratio: 0.1


Name: CI 1
 Model: Combined, $S=f(\text{datum})$
 Unit Weight: 15.8 kN/m³
 Phi: 30 °
 Cu-Datum: 18 kPa
 Cu-Rate of Change: 0 kPa/m
 C/Cu Ratio: 0.1
 Elevation: 17 m

Name: CI 2
 Model: Combined, $S=f(\text{datum})$
 Unit Weight: 15.4 kN/m³
 Phi: 30 °
 Cu-Datum: 18 kPa
 Cu-Rate of Change: 1.37 kPa/m
 C/Cu Ratio: 0.1
 Elevation: 2 m

Name: CI 3
 Model: Combined, $S=f(\text{datum})$
 Unit Weight: 16.4 kN/m³
 Phi: 30 °
 Cu-Datum: 18 kPa
 Cu-Rate of Change: 1.37 kPa/m
 C/Cu Ratio: 0.1
 Elevation: 2 m

Name: CI 4
 Model: Combined, $S=f(\text{depth})$
 Unit Weight: 15.8 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 3 kPa
 Cu-Rate of Change: 6.5 kPa/m
 C/Cu Ratio: 0.1

Name: CI 5
 Model: Combined, $S=f(\text{depth})$
 Unit Weight: 15.8 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 16 kPa
 Cu-Rate of Change: 1.5 kPa/m
 C/Cu Ratio: 0.1



Directory: V:\UPPDRAG\227763\G_Text\V29570\
 File Name: V29570_kombinerad.gsz